

Borehole Compensated Sonic Log

(785) 625-3858

Company Cholla Production, LLC

Field Jording

County Decatur State Kansas

Location
SW NW SE NE
1,800' FNL & 1,000' FEL

Sec: 14 Twp: 2S Rge: 30W

From	Ground Level	Elevation 2799
From	Kelly Bushing	5 Ft. Above Perm. Datum
From	Kelly Bushing	

Elevation

K.B. 2804

	3
--	---

	BHC Sonic
--	-----------

	4029
--	------

Interval	250
----------	-----

MCL	600
-----	-----

7	45
---	----

Time	4 Hours
Sections	40

J. Long	
Dill Co#	

	Bill Gott
--	-----------

Borehole Record		Casing Record	
From	To	Size	Wgt. From

00	257	8.625	24#	00	257
257	4030				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Oberlin, 5 West, 3 North, 1 1/2 West, 1/2 North, East Into



Database File: c:\warrior\data\cholla_kyte-jording no. 3-14\cholla_kytejording_3-14hd.db
Dataset Pathname: dil\chstk
Presentation Format: sonic
Dataset Creation: Sat Mar 26 15:02:55 2011
Charted by: Depth in Feet scaled 1:240



0		Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150		Gamma Ray	300			30	SPOR	-10
6		Caliper (GAPI)	16			15000	LTEN (lb)	0
								LSPD































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	15000	LTEN (lb)	0

LSPD