



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc. Well Jerry No. 2 Field Reichert County Ellis State Kansas									
15-051-26,137-00-00		Location N/2 NW SW NE 1485' FNL & 2310' FEL						Other Services DIL MEL			
		Sec: 10 Twp: 15 S Rge: 19 W									
		Permanent Datum		Ground Level		Elevation 2035		Elevation			
Log Measured From		Kelly Bushing		10 Ft. Above Perm. Datum		K.B. 2045					
Drilling Measured From		Kelly Bushing				D.F. 2035					
Date		6/28/2011				G.L. 2035					
Run Number		One									
Type Log		CNL / CDL									
Depth Driller		3720									
Depth Logger		3718									
Bottom Logged Interval		3697									
Top Logged Interval		2800									
Type Fluid In Hole		Chemical									
Salinity, PPM CL		7500									
Density		9.4									
Level		Full									
Max. Rec. Temp. F		113									
Operating Rig Time		3 1/2 Hours									
Equipment -- Location		15 Hays									
Recorded By		D.Kerr									
Witnessed By		Tom Denning		Herb Deines							
Borehole Record		Casing Record									
Run No.	Bit	From	To	Size	Wgt.	From	To				
1	12.25	00	235	8.625	24#	00	235				
2	7.875	235	3720								

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Antonino KS, 1 West, 1 South
1/2 West, South Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			





0	Gamma Ray	150	30	Compensated Neutron (Limestone)			-10	
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)			-10	
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension				0
							LSPD	

