



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-135-25242-00-00		
Company	Abercrombie Energy, LLC		
Well	Whipple No. 3-14		
Field	WCV Northwest		
County	Ness	State	Kansas
Location	NE - SW - SE - SE 430' FSL & 920' FEL		Other Services DIL/MEL
Sec: 14	Twp: 19 S	Rge: 26 W	

Permanent Datum	Ground Level	Elevation 2621	K.B. 2626
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	D.F. 2621
Drilling Measured From	Kelly Bushing		G.L. 2621

Date	6/25/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	4680
Depth Logger	4681
Bottom Logged Interval	4660
Top Logged Interval	3800
Type Fluid In Hole	Chemical
Salinity, PPM CL	3,800
Density	9.5
Level	Full
Max. Rec. Temp. F	123
Operating Rig Time	4 Hours
Equipment -- Location	15 Hays
Recorded By	B. Becker
Witnessed By	Wes Hansen

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	261	8.625	23#	00	261
Two	7.875	261	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Beeler, Ks; 5 South; 1-1/2 East;
1 North; East into past tanks

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD





Database File: abercrombiehd.db
Dataset Pathname: DIL/abrstk
Presentation Format: cndlspec
Dataset Creation: Sat Jun 25 05:50:56 2011
Charted by: Depth in Feet scaled 1:240

