



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.	Company Berexco LLC		
15-009-25,543-00-00	Well Morgan Z No.1		
	Field Kraft-Prusa		
	County Barton	State	Kansas
	Location SW NW SE NW 1850' FNL & 1490' FWL	Other Services CDL MEL	
	Sec: 22	Twp: 16S	Rge: 12W
Permanent Datum	Ground Level	Elevation 1922	
Log Measured From Kelly Bushing		5 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1927 D.F. 1927 G.L. 1922	
Date	5/31/2011		
Run Number	One		
Depth Driller	3455		
Depth Logger	3454		
Bottom Logged Interval	3453		
Top Log Interval	400		
Casing Driller	8.625 @ 436		
Casing Logger	434		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	10,000		
Density / Viscosity	9.3 53		
pH / Fluid Loss	8.5 9.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	.4 @ 81		
Rmf @ Meas. Temp	.3 @ 81		
Rmc @ Meas. Temp	.54 @ 81		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.29 @ 113		
Operating Rig Time	4 1/2 Hours		
Max Rec. Temp. F	113		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desai		
Witnessed By	Jeff Lawler		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Beaver KS, 1 E, 3/4 N, E Into

Database File: c:\warrior\data\berexco_morgan z no.1\berhd.db
Dataset Pathname: rag/berrag
Presentation Format: rag2in
Dataset Creation: Tue May 31 17:43:34 2011
Charted by: Depth in Feet scaled 1:600





950

1000

1050

1100

1150

1200


1250

1300

1350

1400

1450



-88

-88

-87

-87

-87

-88


-88

-88

-88

-85

-85



1500

1550

1600

1650

1700

1750


1800

1850

1900

1950

2000



-85

-85

-85

-85

-85

-85


-85

-85

-85

-85

-85



2050

2100

2150

2200

2250

2300


2350

2400

2450

2500

2550



-85

-83

-83

-83

-83

-83


-83

-83

-83

-51

-51



2600

2650

2700

2750

2800

2850


2900

2950

3000

3050

3100



-33

-33

-33

-32

-32

-32


-32

-32

-32


-31


-31



Database File: c:\warrior\data\berexco_morgan z no.1\berhd.db
 Dataset Pathname: rag/berrag
 Presentation Format: rag
 Dataset Creation: Tue May 31 17:43:34 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neuton	2160
-200	SP (mV)	0	15000	Line Tension	0
LSPD					





Database File: c:\warrior\data\berexco_morgan z no.1\berhd.db
Dataset Pathname: rag/berrag
Presentation Format: rag
Dataset Creation: Tue May 31 17:43:34 2011
Charted by: Depth in Feet scaled 1:240

