



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company TDI, Inc.		
	Well Hiatt No.1		
	Field Wildcat		
	County Ellis	State	Kansas
15-051-26,123-00-00	Location	E2 W2 E2 SW 1320' FSL & 1855' FWL	
	Sec: 7	Twp: 14S	Rge: 18W
Permanent Datum	Ground Level	Elevation 2151	Other Services CNL/CDL MEL
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	K.B. 2161
Drilling Measured From	Kelly Bushing		D.F. 2151
Date	5/21/2011		
Run Number	One		
Depth Driller	3900		
Depth Logger	3899		
Bottom Logged Interval	3898		
Top Log Interval	200		
Casing Driller	8.625 @ 234		
Casing Logger	235		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	10,000		
Density / Viscosity	9.4 59		
pH / Fluid Loss	10.0 8.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.3 @ 77		
Rmf @ Meas. Temp	.23 @ 77		
Rmc @ Meas. Temp	.41 @ 77		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.2 @ 117		
Operating Rig Time	3 1/2 Hours		
Max Rec. Temp. F	117		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Tom Denning		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Hays KS,
3/4 N of Log-Tech to Springhill Rd,
2 W, Turn N, E & N Into



Database File: c:\warrior\data\tdi_hiatt no.1\tdihd.db
Dataset Pathname: dil\tdistk
Presentation Format: dil2in
Dataset Creation: Sat May 21 09:58:03 2011
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0




















0 Gamma Ray 150
-200 SP (mV) 0

0 Shallow Resistivity 50
0 Deep Resistivity 50

LSPD

1000 Conductivity 0

15000 Line Tension 0

50 Shallow Resistivity 500

Database File:

c:\warrior\data\tdi_hiatt no.1\tdihd.db

Dataset Pathname:

dil\tdistk

Presentation Format:

dil

Dataset Creation:

Sat May 21 09:58:03 2011


Charted by:

Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

1400

1450

1500



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD

Database File:

c:\warrior\data\tdi_hiatt no.1\tdihd.db

Dataset Pathname:

dil\tdistk

Presentation Format:

dil

Dataset Creation:

Sat May 21 09:58:03 2011



Charted by:


Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD






3100

3150

3200

3250

3300




-32

-32

-32

-32

-32




3350

3400

3450

3500




-32

-31

-31

-31




3550

3600

3650

3700

3750




-31

-31

-31

-31


-31



3800

3850

3900



-31

-31

-31

LSPD