



DIGITAL LOG (785) 625-3858

Dual Induction Log

API No.	15-015-23,889-00-00	
Company	Vess Oil Corporation	
Well	Barnhill A No.31	
Field	El Dorado	
County	Butler	State Kansas
Location	N2 S2 N2 SE 1750' FSL & 1320' FEL	
Sec: 6	Twp: 26S	Rge: 5E
Other Services	CNL/CDL MEL	

Permanent Datum	Ground Level	Elevation 1399	K.B. 1405
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum	D.F. 1399
Drilling Measured From	Kelly Bushing		G.L. 1399
Date	4/8/2011		
Run Number	One		
Depth Driller	2487		
Depth Logger	2484		
Bottom Logged Interval	2483		
Top Log Interval	250		
Casing Driller	8.625 @ 250		
Casing Logger	258		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	800		
Density / Viscosity	9.4	48	
pH / Fluid Loss	9.0	10.4	
Source of Sample	Flowline		
Rm @ Meas. Temp	1.7	@ 74	
Rmf @ Meas. Temp	1.28	@ 74	
Rmc @ Meas. Temp	2.3	@ 74	
Source of Rmf / Rmc	Charts		
Rm @ BHT	1.22	@ 103	
Operating Rig Time	3 Hours		
Max Rec. Temp. F	103		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Roger Martin		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858
 196/254 Jct W of El Dorado,
 1/4 S from state building,
 1/2 W, 3/4 N, E Into

Database File: c:\warrior\data\vess_barnhill a no.31\vesshd.db
 Dataset Pathname: dil/vessstk
 Presentation Format: dil2in
 Dataset Creation: Fri Apr 08 10:25:48 2011
 Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD




1000	Conductivity	0
15000	Line Tension	0


50	Shallow Resistivity	500
50	Deep Resistivity	500















Database File: c:\warrior\data\vess_barnhill a no.31\vesshd.db
 Dataset Pathname: dil/vessstk
 Presentation Format: dil
 Dataset Creation: Fri Apr 08 10:25:48 2011
 Charted by: Depth in Feet scaled 1:240





1800

1850

1900

1950

2000


-32

-32

-32

-32

-32




-32

-32

-32

-32

-32




2050

2100

2150

2200




-32

-31

-31

-31




2250

2300

2350

2400




-31

-31


-31

-31



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

2450



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD