



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-015-23,889-00-00	Company Vess Oil Corporation	Location N2 S2 N2 SE 1750' FSL & 1320' FEL	Other Services CNL/CDL DIL
	Well Barnhill A No.31		
	Field El Dorado		
	County Butler	State Kansas	
	Sec: 6	Twp: 26S	Rge: 5E

Permanent Datum	Ground Level	Elevation	1399
Log Measured From	Kelly Bushing	6	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	4/8/2011		
Run Number	Three		
Depth Driller	2487		
Depth Logger	2484		
Bottom Logged Interval	2483		
Top Log Interval	1700		
Casing Driller	8.625 @ 250		
Casing Logger	258		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	800		
Density / Viscosity	9.4	48	
pH / Fluid Loss	9.0	10.4	
Source of Sample	Flowline		
Rm @ Meas. Temp	1.7 @ 74		
Rmf @ Meas. Temp	1.28 @ 74		
Rmc @ Meas. Temp	2.3 @ 74		
Source of Rmf / Rmc	Charts		
Rm @ BHT	1.22 @ 103		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	103		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Roger Martin		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



196/254 Jct W of El Dorado,
1/4 S from state building,
1/2 W, 3/4 N, E Into


Database File: c:\warrior\data\vess_barnhill a no.31\vesshd.db
 Dataset Pathname: dil/vessstk
 Presentation Format: micro
 Dataset Creation: Fri Apr 08 10:25:48 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






1900

1950

2000

2050

2100




-32

-32


-32

-32

-31



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
15000	Line Weight	0

LSPD