



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-159-22,624-00-00

Company K&S Oil Company
Well Fry No.8
Field Welch-Barnholdt
County Rice
State Kansas

Location 1320' FNL & 600' FEL

Sec: 22 Twp: 20S Rge: 6W

Other Services DIL

Permanent Datum Ground Level Elevation 1577
Log Measured From Kelly Bushing 6 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 1583
D.F. 1577
G.L. 1577

Date 9/19/2010

Run Number One

Type Log CNL / CDL

Depth Driller 3100

Depth Logger 3103

Bottom Logged Interval 3082

Top Logged Interval 2100

Type Fluid In Hole Chemical

Salinity, PPM CL 6,300

Density 9.3

Level Full

Max. Rec. Temp. F 107

Operating Rig Time 3 Hours

Equipment -- Location 10 Hays

Recorded By C. Desaire

Witnessed By Bruce Reed

Borehole Record		Casing Record				
Run No	Bit From	To	Size	Wgt. 23#	From	To
One	12.25	00	8.625	23#	00	203
Two	7.875	203	TD			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Hwy 56, McPherson & Rice Co. Line,
5 S to Ave P, 1 1/2 W, S Into

Database File: k&shd.db
Dataset Pathname: dil/ksstk
Presentation Format: cdl
Dataset Creation: Sun Sep 19 19:28:24 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10	
2	Bulk Density	3	
15000	Line Tension	0	
	-0.25	Correction	0.25
			LSPD






6 Caliper (GAPI) 16


2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25
LSPD		


Database File: k&shd.db
 Dataset Pathname: dil/ksstk
 Presentation Format: cndlspec
 Dataset Creation: Sun Sep 19 19:28:24 2010
 Charted by: Depth in Feet scaled 1:240


0 Gamma Ray 150
 6 Caliper (GAPI) 16


30	CNLS	-10
30	Compensated Density (2.71 ma)	-10
10000	Line Tension	0
-0.25	Correction	0.25











10000

Line Tension

0

-0.25

Correction

0.25