



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Blake Production Company, Inc.			
		Well Slinker No. 2-10			
		Field Slinker			
		County Phillips	State	Kansas	
15-147-20,638-00-00		Location SW SW NE SE 1,430' FSL & 1,170' FEL		Other Services CNL/CDL	
Permanent Datum		Ground Level	Elevation 1965	Elevation	
Log Measured From		Kelly Bushing	5 Ft. Above Perm. Datum	K.B. 1970	
Drilling Measured From		Kelly Bushing		D.F. 1965	
Date		4/7/2011			
Run Number		One			
Depth Driller		3560			
Depth Logger		3562			
Bottom Logged Interval		3561			
Top Log Interval		300			
Casing Driller		8.625 @ 344			
Casing Logger		344			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity, ppm CL		1600			
Density / Viscosity		9.0 62			
pH / Fluid Loss		11.0 7.2			
Source of Sample		Flowline			
Rm @ Meas. Temp		1.10 @ 58			
Rmf @ Meas. Temp		.83 @ 58			
Rmc @ Meas. Temp		1.49 @ 58			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.57 @ 112			
Operating Rig Time		2 1/2 Hours			
Max Rec. Temp. F		112			
Equipment Number		10			
Location		Hays			
Recorded By		J. Long			
Witnessed By		Tom Robertson			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Logan, 2 1/2 East to 1100 Rd, 200 yards North, West Into

Database File: c:\warrior\data\blake production_slinker no. 2-10\blakeproduction_slinker_2-10hd.db
Dataset Pathname: dil/blstck
Presentation Format: dil2in
Dataset Creation: Fri Apr 08 05:18:34 2011
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500






















-160	Rxo / Rt	40


0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD

Database File:	c:\warrior\data\blake production_slinker no. 2-10\blakeproduction_slinker_2-10hd.db
Dataset Pathname:	dil/blstck
Presentation Format:	dil
Dataset Creation:	Fri Apr 08 05:18:34 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD






3150

3200

3250

3300

3350





-34

-34

-33

-34

-31



[illegible]