



Green Country Wireline

GAMMA RAY
CEMENT BOND
CCL VDL

Company	JONES & BUCK DEVELOPEMENT		
Well	THOMPSON # JBD 36-2		
Field	SEDAN-PERU		
County	CHAUTAUQUA	State	KANSAS
Location:	API #: 15-019-27044 NW SW NE NE 4767' FSL & 1130' FEL SEC 36 TWP 33S RGE 10E		Other Services
Permanent Datum	G.L.	Elevation	872'
Log Measured From	G.L.		
Drilling Measured From	G.L.		

Date	9-12-11		
Run Number	1		
Depth Driller	1350'		
Depth Logger	1335'		
Bottom Logged Interval	1334'		
Top Log Interval	SURFACE		
Open Hole Size	---		
Type Fluid	WATER		
Density / Viscosity	---		
Max. Recorded Temp.	---		
Estimated Cement Top	SURFACE		
Time Well Ready	---		
Time Logger on Bottom	---		
Equipment Number	3		
Location	DEWEY		
Recorded By	HERREN		
Witnessed By	MR JONES		
Borehole Record			
Run Number	Bit	From	To
		Size	Weight
			From
			To
Tubing Record			
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8"		SURFACE
Prot. String			
Production String	4.5"		SURFACE
Liner			TD


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. The interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Database File: thom362.db
Dataset Pathname: thom362/run1/pass1
Presentation Format: cbl_dr
Dataset Creation: Mon Sep 12 18:18:29 2011 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


9	Collar Locator	-1	-1	Amplitude (mV)	90	200	Variable Density	12
0	Gamma Ray (GAPI) (GAPI)	60	1000	Travel Time (usec)	350			








50
100
150
200
250





300
350
400
450
500







550


600

650

700

750







800


850

900

950

1000





1050

1100

1150

1200

1250

1246'-1286'

80 SHOTS
9-12-11

