



SUPERIOR
Hays,
Kansas

GAMMA-RAY
NEUTRON LOG

Company		MICHAEL D. WEILERT OIL	
Well	RIEDEL #9		
Field	IRVIN		
County	ELLIS	State	KANSAS
Location:		API #:	Other Services
SEC 5 TWP 14S RGE 19W		SE - SW - SW	PERF
Permanent Datum	GROUND LEVEL	Elevation	2230
Log Measured From	KELLY BUSHING 6' A.G.L.	K.B. 2236	D.F. 2233
Drilling Measured From	KELLY BUSHING	G.L. 2230	
Date	5/9/11		
Run Number	ONE		
Depth Driller	3926		
Depth Logger	3878		
Bottom Logged Interval	3877		
Top Log Interval	3000		
Open Hole Size	7 7/8		
Type Fluid	WATER/OIL		
Density / Viscosity			
Max. Recorded Temp.			
Estimated Cement Top			
Time Well Ready			
Time Logger on Bottom			
Equipment Number	747		
Location	HAYS,KANSAS		
Recorded By	R.SMITH		
Witnessed By	MR. WEILERT		
Borehole Record		Tubing Record	
Run Number	Bit	From	To
		Size	Weight
			From
			To
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8		0
Prot. String			
Production String	5 1/2		
Liner			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS,KANSAS (785) 628-6395
DIRECTIONS
GOLF COURSE RD. & YOCEMENTO RD. 1 1/2 W NORTH & WEST INTO
DOUBLE DRUM WELL SERVICE @ GMAIL.COM


Database File: 7034grnb.db
Dataset Pathname: pass2
Presentation Format: gr-n-ccl
Dataset Creation: Mon May 09 12:07:02 2011 by Log Std Casedhole 08121
Charted by: Depth in Feet scaled 1:240

Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	500	NEUTRON (NAPI)	2100
				9	CCL
					-1






3200


3250

3300

3350

FLUID SHIFT






3400

3450

3500


3550

3600



40 30 20 15 10 5 1

POROSITY LIMESTONE (FLUID FILLED HOLE)





3650

3700

3750

3800





3850

