

Dual Compensated Porosity Log

(785) 625-3858

Company Indian Oil Company, Inc.

Well Boonedocker No.2

Field Stranathan Pool

County Barber State Kansas

15-007-23,698-00-00

Sec: 6 Twp: 35S Rge: 11W

Elevation

um	Ground Level	Elevation
From	Kelly Bushing	10 Ft. Above Perm. Datum

K.B.	1358
D.F.	1348

	5/3
--	-----

	CNL / CDL
--	-----------

--	--

Interval	3800
----------	------

MCL	14,000
-----	--------

--	--

Time	2 1/2 Hours
------	-------------

	C. Desaire
--	------------

Scott Alberg

From	To
------	----

265	5330
-----	------

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Medicine Lodge KS,
17 S to Hwy 2, 1 E, N Into


Database File: c:\warrior\data\indian oil_boonedocker no.2\indianhd.db
Dataset Pathname: dil/indnstk
Presentation Format: cdl
Dataset Creation: Mon May 30 07:58:11 2011
Charted by: Depth in Feet scaled 1:600


Charted by:

Depth in Feet scaled 1:500

0	Gamma Ray	150	30	Compensated Density		-10
6	Caliper (GAPI)	16	2	Bulk Density		3
			15000	Line Tension		0
2.625		DGA	3.425	-0.25	Correction	0.25
						LSPD







2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD

Database File:

c:\warrior\data\indian oil_boonedocker no.2\indianhd.db

Dataset Pathname:

dil/indnstk

Presentation Format:

cnclspec

Dataset Creation:

Mon May 30 07:58:11 2011

Charted by:

Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10	
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)		-10	
			2.625	DGA	3.425	-0.25	
			Correction		0.25		
			Line Tension				0
						LSPD	

