



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Indian Oil Company, Inc.		
15-007-23,698-00-00	Well Boonedocker No.2		
	Field Stranathan Pool		
	County Barber State Kansas		
	Location	SE SE SE SE 390' FSL & 395' FEL	Other Services CNL/CDL
	Sec: 6	Twp: 35S	Rge: 11W
Permanent Datum	Ground Level	Elevation	
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 1358 D.F. 1348 G.L. 1348	
Date	5/30/2011		
Run Number	One		
Depth Driller	5330		
Depth Logger	5330		
Bottom Logged Interval	5329		
Top Log Interval	250		
Casing Driller	13.375 @ 265		
Casing Logger	263		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	14,000		
Density / Viscosity	9.3 90		
pH / Fluid Loss	8.5 20.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	.35 @ 80		
Rmf @ Meas. Temp	.26 @ 80		
Rmc @ Meas. Temp	.47 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.21 @ 131		
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	131		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desai		
Witnessed By	Scott Alberg	Anthony Farrar	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Medicine Lodge KS,
17 S to Hwy 2, 1 E, N Into




Database File: c:\warrior\data\indian oil_boonedocker no.2\indianhd.db
Dataset Pathname: dil\indnstk
Presentation Format: dil2in
Dataset Creation: Mon May 30 07:58:11 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0



































Database File: c:\warrior\data\indian oil_boonedocker no.2\indianhd.db
Dataset Pathname: dil/indnstk
Presentation Format: dil
Dataset Creation: Mon May 30 07:58:11 2011
Charted by: Depth in Feet scaled 1:240






3850

3900

3950

4000

4050




-33

-32

-32

-32

-31




4100

4150

4200

4250




-32

-32

-32

-31




4300

4350

4400

4450

4500




-32

-32

-31

-31

-31




4550

4600

4650

4700




-31

-31

-31

-30




4750

4800

4850

4900




-31

-31

-30

-30




4950

5000

5050

5100

5150




-30

-31

-31

-30


-30



5200

5250

5300



-30

-30

-29

LSPD