



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company		TexKan Exploration, LLC	
15- 065-23752-00-00		Well		Sauer #A 3	
		Field		Bollig	
		County		Graham State Kansas	
Location		C E/2 NW SE 1980' FSL / 1650' FEL		Other Services MEL	
Sec: 28		Twp: 9S		Rge: 25W	
Permanent Datum		Ground Level		Elevation 2579	
Log Measured From		Kelly Bushing		9 Ft. Above Perm. Datum	
Drilling Measured From		Kelly Bushing		K.B. 2988 D.F. 2979 G.L. 2979	
Date	7/14/2011				
Run Number	One				
Depth Driller	4170				
Depth Logger	4137				
Bottom Logged Interval	4136				
Top Log Interval	200				
Casing Driller	8.625 @ 228				
Casing Logger	222				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity, ppm CL	2000				
Density / Viscosity	9.3 67				
pH / Fluid Loss	10.5 6.8				
Source of Sample	Flowline				
Rm @ Meas. Temp	1.40 @ 80				
Rmf @ Meas. Temp	1.05 @ 80				
Rmc @ Meas. Temp	1.89 @ 80				
Source of Rmf / Rmc	Charts				
Rm @ BHT	0.95 @ 118				
Operating Rig Time	3 Hours				
Max Rec. Temp. F	118				
Equipment Number	15				
Location	Hays				
Recorded By	R. Barnhart				
Witnessed By	Bill Robinson		Jeff Lawler		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Wakeeney, KS:
N to Redline Rd., 13 1/2W, N into

Database File: c:\warrior\data\texkan_sauer #a 3\texkanhd.db
Dataset Pathname: rag\texkrag
Presentation Format: rag2in
Dataset Creation: Thu Jul 14 11:46:43 2011
Charted by: Depth in Feet scaled 1:600





750

800

850

900

950

1000


1050

1100

1150

1200

1250



-98

-98

-98

-98

-98

-99


-101

-101

-98

-98

-98



1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-98

-98

-98

-98

-98

-98


-98

-98

-98

-102

-99



1850

1900

1950

2000

2050

2100


2150

2200

2250

2300

2350



-99

-99

-99

-99

-98

-98


-98

-34

-33

-35

-35



2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-102

-100

-100

-99

-100

-99


-99

-99

-99

-99

-99



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-99

-99

-100

-97

-97

-97


-97

-97

-95

-95

-95



3500

3550

3600

3650

3700

3750


3800

3850

3900

3950

4000



-33

-33

-33

-33

-33

-32


-32

-32



-32

-32

-32



Database File: c:\warrior\data\texkan_sauer #a 3\texkanhd.db
 Dataset Pathname: rag/texkrag
 Presentation Format: rag
 Dataset Creation: Thu Jul 14 11:46:43 2011
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	SP (mV)	0

0.2	Long Guard	2000
560	Neutron	2160
15000	Line Tension	0

LSPD

Database File:

c:\warrior\data\texkan_sauer #a 3\texkanhd.db

Dataset Pathname:

rag\texkrag

Presentation Format:

rag

Dataset Creation:

Thu Jul 14 11:46:43 2011

Charted by:

Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	SP (mV)	0

0.2	Long Guard	2000
560	Neutron	2160
15000	Line Tension	0

LSPD

