



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No. 15-007-23,653-00-00		Company Molz Oil Company		Other Services CNL/CDL	
Well Achenbach 'B' No. 3		Location SE - NE - SW - NW 1678' FNL & 1015' FWL			
Field Stranathan		County Barber			
State Kansas		Twp: 35 S Rge: 12 W			
Sec: 1		Elevation K.B. 1427 D.F. 1417			
Permanent Datum Ground Level		Log Measured From Kelly Bushing		Elevation 1417	
Drilling Measured From Kelly Bushing		10 Ft. Above Perm. Datum		G.L. 1417	
Date 6/6/2011		Run Number One			
Depth Driller 5532		Depth Logger 5537			
Bottom Logged Interval 5536		Top Log Interval 300			
Casing Driller 13,375 @ 332		Casing Logger 332			
Bit Size 7.875		Type Fluid in Hole Chemical			
Salinity, ppm CL 8000		Density / Viscosity 9.10 69			
pH / Fluid Loss 10.0 9.0		Source of Sample Flowline			
Rm @ Meas. Temp 0.65 @ 70		Rmf @ Meas. Temp 0.49 @ 70			
Rmc @ Meas. Temp 0.88 @ 70		Source of Rmf / Rmc Charts			
Rm @ BHT 0.35 @ 131		Operating Rig Time 2 Hours			
Max Rec. Temp. F 131		Equipment Number 15			
Location Hays		Recorded By B. Becker			
Witnessed By Arden Ratzlaff					

<<< Fold Here >>>





All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments




Thank you for using Log-Tech, Inc.
(785) 625-3858



Medicine Lodge, Ks;
15 South to Driftwood Rd;
1/2 West; South Into @ Tanks



Database File: molzhd.db
Dataset Pathname: DIL/molzstk
Presentation Format: dil2in
Dataset Creation: Tue Jun 07 01:18:56 2011
Charted by: Depth in Feet scaled 1:600























4050

4100

4150

4200

4250

4300


4350

4400

4450

4500

4550



-33

-33

-33

-33

-33

-33


-33


-33

-33

-33

-32





4600

4650

4700

4750

4800

4850


4900

4950

5000

5050

5100



-32

-32

-32

-32

-32

-32


-32


-32

-32

-32

-32






0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD




3400

3450

3500

3550




-34

-35

-34

-34




3600

3650

3700

3750




-34

-34

-34

-34




3800

3850

3900

3950

4000




-34

-34

-34

-34

-33




4050

4100

4150

4200




-33

-33

-33

-33




4250

4300

4350

4400

4450




-33

-33

-33

-33

-33




4500

4550

4600

4650

1100




-33

-32

-32

-32

1100




4700

4750

4800

4850




-32

-32

-32

-32




4900

4950

5000

5050

5100




-32

-32

-32

-32

-32




5150

5200

5250

5300




-31

-31

-31

-31




5350

5400

5450

5500



-30

-30

-30

-29

