



DIGITAL LOG (785) 625-3858

Microresistivity Log

API No.	15-167-23,701-00-00
Company	NRD-Rein Resources
Well	H. Rein No.A-9
Field	Hall-Gurney
County	Russell
State	Kansas
Location	SW NW NE SW 2190' FSL & 1420' FWL
Sec: 27	Twp: 14S Rge: 13W
Other Services	RAG

Permanent Datum	Ground Level	Elevation 1717
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 1724 D.F. 1717 G.L. 1717
Date	4/6/2011	
Run Number	Two	
Depth Driller	3300	
Depth Logger	3299	
Bottom Logged Interval	3298	
Top Log Interval	2300	
Casing Driller	8.625 @ 221	
Casing Logger	221	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	9.000	
Density / Viscosity	9.25 52	
pH / Fluid Loss	9.5 9.6	
Source of Sample	Flowline	
Rm @ Meas. Temp	.45 @ 71	
Rmf @ Meas. Temp	.34 @ 71	
Rmc @ Meas. Temp	.61 @ 71	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.29 @ 111	
Operating Rig Time	3 1/2 Hours	
Max Rec. Temp. F	111	
Equipment Number	17	
Location	Hays	
Recorded By	C. Desaire	
Witnessed By	Brad Hutchinson	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
 (785) 625-3858
 Russell, E to Pioneer Exit,
 4 S, 1 E, 3/4 N, E Into



Database File: c:\warrior\data\nrd-rein resources_h. rein no.a-9\reinhd.db
 Dataset Pathname: rag/reinrag
 Presentation Format: micro
 Dataset Creation: Fri Apr 08 12:44:23 2011
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD








2750

2800

2850

2900




-32

-31

-31

-31




2950

3000

3050

3100

3150




-31

-31


-31

-31

-31



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
15000	Line Weight	0

LSPD