



Sector Bond / Gamma Ray
CCL Log

(785) 625-3858

API No.	Company Chieftain Oil Company, Inc.				
15-007-23,167	Well	Jake 'A' # 1			
	Field	Traffas			
	County	Barber			
		State Kansas			
	Location	SE - SE - SE 340' FSL & 340' FEL			Other Services
Sec: 13	Twp: 33S	Rge: 11W			
Permanent Datum	Ground level	Elevation 1546'	Elevation		
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum	K.B. 1553'		
Drilling Measured From	Kelly Bushing		D.F. 1548'		
Run Number	One				
Date Survey	August 13, 2007				
Date Cementing	8 - 4 - 2007				
Type Cementing Operation	Primary				
Depth Driller	5110'				
Depth Logger	5046'				
Logged Interval	5036' to 3650'		to		
Casing Driller	5.5" @ T.D.		@		
Float Collar -- D.V. Tool	////	////			
Squeeze Depth	////				
Amount & Type Cement	////				
Amount & Type Admix	////				
Type Fluid In Hole	Water				
Fluid Level	Full				
Salinity PPM CL	////				
Weight lb/gal -- Vis.	////	////			
Approx. Logged Cement Top	3844'				
Calculated Cement Top	3850'				
Max. Hole Temperature	////				
Tool No.	Pro #3				
Spacing Recorded	3' 5"				
Equipment -- Location	5	Pratt			
Recorded By	D. Bradford				
Witnessed By	Mr. Ron Molz				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
Medicine Lodge South to Gerlane blktp. East to Hillside, 2 m. North, 1 m. East, 1/2 m. North
East into on North side of wooden bridge (2nd drive)

Marker Joint @ 4756'



Main Pass

Database File: cftnjake.db
 Dataset Pathname: jakeA1/grscbl/pass3
 Presentation Format: scbl
 Dataset Creation: Mon Aug 13 15:44:08 2007 by Log Std Casedhole 06120
 Charted by: Depth in Feet scaled 1:240

Travel Time			0	Amplitude (mV) 100		0	AMPAVG 150		200	VDL 1200		1	Sector Map		8
335	(usec)	225	Amplified Amplitude			0	AMPMAX 150					25			75
-9	CCL	1	0	(mV) 20		0	AMPMIN 150								
0	Gamma Ray	200													
150	GR	300													

3650

3700

3750

3800




Top of Cement

3850

3900

3950

4000




4050

4100

4150

4200

4250



4300

4350

4400

4450




4500

4550

4600

4650



4700

4750

4800

4850

4900

Marker Joint →

