







THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
OLMITZ, KS - 1/2 MILE SOUTH - 1/2 MILE EAST - SOUTH INTO

Database File: 007149ddn.db
Dataset Pathname: pass6
Presentation Format: _micro
Dataset Creation: Wed Jul 20 01:29:52 2011 by Log Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

Charted by:		Depth in Feet scaled 1:2.10				
0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
		TBHV				
		0 (ft3)				
		10				









3250

3300

3350

3400









Database File: 007149ddn.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Wed Jul 20 01:27:55 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 007149ddn.db
 Dataset Pathname: pass6
 Dataset Creation: Wed Jul 20 01:29:52 2011 by Log Open-Cased 090629

MICRO Calibration Report

Serial Number: MICRO6
 Tool Model: PROBE
 Performed: Wed Jul 20 01:22:43 2011

Caliper Calibration: Gain=5.211 Offset=-0.160

	Low Cal	High Cal
References	8.000	14.000
Readings	1.178	2.330

1.5" Calibration: Gain=40.075 Offset=-0.650

	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.196

2" Calibration: Gain=50.041 Offset=-0.600

	Low Cal	High Cal
References	0.000	20.000
Readings	0.006	0.913

Gamma Ray Calibration Report

Serial Number: #8
 Tool Model: OPEN
 Performed: Mon Jun 13 16:56:43 2011

Calibrator Value: 150.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 175.0 cps

Sensitivity: 0.8371 GAPI/cps