



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-055-22,112-00-00

Company Hess Oil Company

Well Shelly No.1

Field Wildcat

County Finney State Kansas

Location C NE NE
660' FNL & 660' FEL

Sec: 25 Twp: 23S Rge: 30W

Permanent Datum Ground Level Elevation 2793

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing Elevation 2798
D.F. 2793

Date 8/18/2011

Run Number One

Type Log CNL / CDL

Depth Driller 4880

Depth Logger 4875

Bottom Logged Interval 4854

Top Logged Interval 2500

Type Fluid In Hole Chemical

Salinity, PPM CL 2,300

Density 9.4

Level Full

Max. Rec. Temp. F 127

Operating Rig Time 4 Hours

Equipment -- Location 17 Days

Recorded By C. Desaire

Witnessed By Brad Rine

Borehole Record

Run No. Bit From To Size Wgt. From To

1 12.25 00 234 8.625 24# 00 234

2 7.875 234 4880

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Kalvesta KS,
E to Haflich Rd, 2 S, W Into

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		































