



# Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-081-21,950-00-00		
Company	Berecxco LLC		
Well	Doerksen 'B' No. 1-27		
Field	Eubank N.		
County	Haskell		
State	Kansas		
Location	SE - NW - NE - NE 335' FNL & 890' FEL		
Sec: 27	Twp: 28 S	Rge: 34 W	Other Services DIL MEL
Permanent Datum	Ground Level	Elevation 2999	Elevation
Log Measured From	Kelly Bushing	13 Ft. Above Perm. Datum	K.B. 3012
Drilling Measured From	Kelly Bushing		D.F. G.L. 2999

Date	8/6/2011	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	5770	
Depth Logger	5765	
Bottom Logged Interval	5744	
Top Logged Interval	3500	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	2,100	
Density	8.8	
Level	Full	
Max. Rec. Temp. F	136	
Operating Rig Time	4 Hours	
Equipment -- Location	17 Hays	
Recorded By	B. Becker	
Witnessed By	Ed Graves	

Borehole Record		Casing Record				
Run No	Bit From	To	Size	Wgt.	From	To
One	12.25	00	1786	8.625	23#	00
Two	7.875	1786	TD			1786

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.  
(785) 625-3858


Sublette, Ks; 6 North;  
8 West to EE; 2 North;  
1/4 West; South Into


Database File: berexcohd.db  
 Dataset Pathname: DIL/berstk  
 Presentation Format: cdl  
 Dataset Creation: Sat Aug 06 14:09:28 2011  
 Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			

















Database File: berexcohd.db  
 Dataset Pathname: DIL/berstk  
 Presentation Format: cndlspec  
 Dataset Creation: Sat Aug 06 14:09:28 2011  
 Charted by: Depth in Feet scaled 1:240

































0	Gamma Ray	150
---	-----------	-----

6	Caliper (GAPI)	16
---	----------------	----



30	CNLS	-10
----	------	-----

30	Compensated Density (2.71 ma)	-10
----	-------------------------------	-----

2.625	DGA	3.425	-0.25	Correction	0.25
-------	-----	-------	-------	------------	------

10000	Line Tension	0
-------	--------------	---

