



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-081-21,950-00-00	
Company	Berecxco LLC	
Well	Doerksen 'B' No. 1-27	
Field	Eubank N.	
County	Haskell	State
		Kansas
Location	SE - NW - NE - NE 335' FNL & 890' FEL	
Sec: 27	Twp: 28 S	Rge: 34 W
Permanent Datum	Ground Level	Elevation 2999
Log Measured From	Kelly Bushing	13 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 3012
		D.F. 2999
		G.L. 2999

Date	8/6/2011	
Run Number	One	
Depth Driller	5770	
Depth Logger	5765	
Bottom Logged Interval	5764	
Top Log Interval	1750	
Casing Driller	8.625 @ 1786	
Casing Logger	1786	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	2.100	
Density / Viscosity	8.8	45
pH / Fluid Loss	9.5	9.6
Source of Sample	Flowline	
Rm @ Meas. Temp	0.40 @ 79	
Rmf @ Meas. Temp	0.30 @ 79	
Rmc @ Meas. Temp	0.54 @ 79	
Source of Rmf / Rmc	Charts	
Rm @ BHT	0.23 @ 136	
Operating Rig Time	4 Hours	
Max Rec. Temp. F	136	
Equipment Number	17	
Location	Hays	
Recorded By	B. Becker	
Witnessed By	Ed Graves	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Sublette, Ks; 6 North;
 8 West to EE; 2 North;
 1/4 West; South Into

Database File: berexcohd.db
 Dataset Pathname: DIL/berstk
 Presentation Format: dil2in
 Dataset Creation: Sat Aug 06 14:09:28 2011
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50



LSPD




1000 Conductivity 0




15000 Line Tension 0


50 Shallow Resistivity 500




50 Deep Resistivity 500





















4950

5000

5050

5100

5150

5200

5250

5300

5350

5400

5450

-32

-32

-32

-32

-32

-31


-31

-31



-31


-31

-32



Database File: berexcohd.db
 Dataset Pathname: DIL/berstk
 Presentation Format: dil
 Dataset Creation: Sat Aug 06 14:09:28 2011
 Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700




-34

-34

-34

-34




3750

3800

3850

3900

3950




-34

-34

-34

-34

-34




4000

4050

4100

4150




-34

-34

-33

-33




4200

4250

4300

4350




-33

-33

-33

-33




4400

4450

4500

4550

4600




-33

-33

-33

-33

-33




4650

4700

4750

4800




-32

-32

-32

-32




4850

4900

4950

5000




-32

-32

-32

-32




5050

5100

5150

5200

5250




-32

-32

-32

-31

-31




5300

5350

5400

5450




-31

-31

-31

-32




5500

5550

5600

5650




-32

-31

-31


-31



5700

5750

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-31

-30

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD