LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-051-26,158-00-00

Company Curt's Oil Operations

Well Befort No.7

Field Pleasant

County Ellis State Kansas

Location 330' FNL & 1800' FEL

Sec: 11 Twp: 14S Rge: 20W

Other Services
CNL/CDL
DIL

Elevation
K.B.: 2238
D.F.:
G.L.: 2230

Permanent Datum	Ground Level	Elevation 2230	
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Date	7/25/2011		
Run Number	Two		
Depth Driller	3855		
Depth Logger	3855		
Bottom Logged Interval	3854		
Top Log Interval	3100		
Casing Driller	8.625 @ 217		
Casing Logger	218		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	2,500		
Density / Viscosity	9.0 54		
pH / Fluid Loss	10.5 6.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.2 @ 78		
Rmf @ Meas. Temp	.9 @ 78		
Rmc @ Meas. Temp	1.62 @ 78		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.8 @ 117		
Operating Rig Time	3 Hours		
Max. Rec. Temp. F	117		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Jason Alm		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays KS, Hwy 183,
11 W on Golf Course Rd,
S Into


Database File:	c:\warrior\data\curt's oil_befort no.7\curtshd.db
Dataset Pathname:	dil/curtstk
Presentation Format:	micro
Dataset Creation:	Mon Jul 25 04:32:06 2011
Charted by:	Depth in Feet scaled 1:240


Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0


0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD




3300
3350
3400
3450
3500
-32
-32
-32
-32
-32


3550
3600
3650
3700
-31
-31
-31
-31


3750
3800
3850
-31
-31
-31
0
Gamma Ray
150
6
Micro Log Caliper (GAPI)
16
-200
SP (mV)
0
0
Micro Inverese 1 X 1
40
0
Micro Normal 2"
40
15000
Line Weight
0
LSPD