



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company Dechant Oil Company		
15-051-26,154-00-00	Well Walt Dechant No. 2		
	Field Dechant		
	County Ellis	State	Kansas
	Location	1507' FSL & 2307' FEL	
	Sec: 6	Twp: 15 S	Rge: 18 W
	Permanent Datum	Ground Level	Elevation 2013
	Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
Date		7/11/2011	
Run Number		Two	
Depth Driller		3675	
Depth Logger		3671	
Bottom Logged Interval		3670	
Top Log Interval		2900	
Casing Driller		8.625 @ 916	
Casing Logger		916	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		4000	
Density / Viscosity		9.3 49	
pH / Fluid Loss		9.5 9.6	
Source of Sample		Flowline	
Rm @ Meas. Temp		.46 @ 92	
Rmf @ Meas. Temp		.35 @ 92	
Rmc @ Meas. Temp		.62 @ 92	
Source of Rmf / Rmc		Charts	
Rm @ BHT		.38 @ 113	
Operating Rig Time		3 Hours	
Max Rec. Temp. F		113	
Equipment Number		10	
Location		Hays	
Recorded By		D. Kerr	
Witnessed By		Herb Deines	

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

South out of shop to Antonino Black Top
1 West, 1/2 South, West Into

Database File: c:\warrior\data\dechant oil_walt dechant no. 2\dechant.db
Dataset Pathname: rag/decrag
Presentation Format: micro
Dataset Creation: Tue Jul 12 01:07:37 2011
Charted by: Depth in Feet scaled 1:240





2900

2950

3000

3050




-28

-28

-32

-32




3100

3150

3200

3250

3300




-31

-30

-31

-31

-31






3350

3400

3450

3500





LSPD