

LOG-TECH



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-135-25248-00-00	Company DaMar Resources, Inc. Well Evel "G" Unit #1 Field Wildcat County Ness State Kansas	
Location Sec: 23 Twp: 20S Rge: 24W NE SE SE SW 600' FSL / 2325' FWL	Other Services CNL / CDL DIL	

Permanent Datum	Ground Level	Elevation 2262	K.B. 2267 D.F. 2262 G.L. 2262
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Date	6/25/2011		
Run Number	Two		
Depth Driller	4420		
Depth Logger	4423		
Bottom Logged Interval	4422		
Top Log Interval	3400		
Casing Driller	8.625 @ 305		
Casing Logger	305		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	10,000		
Density / Viscosity	9.0 56		
pH / Fluid Loss	8.0 10.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	0.70 @ 85		
Rmf @ Meas. Temp	0.53 @ 85		
Rmc @ Meas. Temp	0.95 @ 85		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.49 @ 122		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	122		
Equipment Number	17		
Location	Hays		
Recorded By	R. Barnhart		
Witnessed By	Keith Reavis		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City, KS:
S to Rd. 40, 3W, 1 3/4S, E into


Database File: damarhd.db
 Dataset Pathname: dil/dammain
 Presentation Format: micro
 Dataset Creation: Sat Jun 25 18:00:08 2011
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0






3600

3650

3700

3750

3800




-32

-32

-32

-32

-32




3850

3900

3950

4000




-32

-32

-32

-32



4050

4100

4150

4200

