



Microresistivity
Log

DIGITAL LOG (785) 625-3858

API No.		Company L.D. Drilling, Inc.	
15-185-23,705-00-00		Well Bernice No. 4-23	
Field Widener		County Stafford State Kansas	
Location 330' FSL & 1255' FEL		Other Services CNL/CDL DIL	
Sec: 23 Twp: 21 S Rge: 12 W		Elevation	
Permanent Datum Ground Level		K.B. 1838	
Log Measured From Kelly Bushing		D.F. 1833	
Drilling Measured From Kelly Bushing		G.L. 1833	
Date	10/2/2011		
Run Number	Two		
Depth Driller	3700		
Depth Logger	3694		
Bottom Logged Interval	3693		
Top Log Interval	2900		
Casing Driller	8.625 @ 331		
Casing Logger	224		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	13400		
Density / Viscosity	9.2 58		
pH / Fluid Loss	10 14.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.35 @ 72		
Rmf @ Meas. Temp	.26 @ 72		
Rmc @ Meas. Temp	.47 @ 72		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.22 @ 115		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	115		
Equipment Number	91		
Location	Hays		
Recorded By	D. Kerr		
Witnessed By	Josh Austin		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ellinwood KS, South to the County Line,
4 South, 1/4 West, North Into

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



2900


2950

3000

3050

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






-31

-31

-30

-30








3350

3400

3450

3500





LSPD