



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company Blake Exploration, LLC			
		Well Scheetz Unit #1			
		Field Wildcat			
		County Logan	State		Kansas
15-109-20980-00-00		Location SW SE SE SW 100' FSL / 2285' FWL		Other Services CNL / CDL DIL	
Sec: 33		Twp: 13S		Rge: 32W	
Permanent Datum Ground Level		Elevation 2899		Elevation	
Log Measured From Kelly Bushing		11 Ft. Above Perm. Datum		K.B. 2910	
Drilling Measured From Kelly Bushing				D.F.	
				G.L. 2899	
Date	2/27/2011				
Run Number	Two				
Depth Driller	4625				
Depth Logger	4628				
Bottom Logged Interval	4627				
Top Log Interval	3400				
Casing Driller	8.625 @ 226				
Casing Logger	223				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity, ppm CL	9200				
Density / Viscosity	9.4 65				
pH / Fluid Loss	10.5 8.0				
Source of Sample	Flowline				
Rm @ Meas. Temp	0.40 @ 64				
Rmf @ Meas. Temp	0.30 @ 64				
Rmc @ Meas. Temp	0.54 @ 64				
Source of Rmf / Rmc	Charts				
Rm @ BHT	0.21 @ 122				
Operating Rig Time	4 Hours				
Max Rec. Temp. F	122				
Equipment Number	4				
Location	Hays				
Recorded By	R. Barnhart				
Witnessed By	Michael Davignon				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Oakley, KS:
16S to Mustang Rd., 1 1/2W, N into

Database File: c:\warrior\data\blake exp_scheetz unit #1\blake_scheetz #1hd.db
Dataset Pathname: dil\blkmain
Presentation Format: micro
Dataset Creation: Sun Feb 27 21:56:39 2011
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0






3400


3450

3500

3550








3850

3900

3950

4000




-40

-30

-31

-30




4050


4100

4150

4200

4250






4300

4350

4400

4450




-31

-31

-31


-31



4500

4550

4600



LSPD