



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Blake Exploration, LLC		
	Well Scheetz Unit #1		
	Field Wildcat		
	County Logan	State	Kansas
15-109-20980-00-00	Location	SW SE SE SW 100' FSL / 2285' FWL	
	Sec: 33	Twp: 13S	Rge: 32W
	Permanent Datum	Ground Level	Elevation 2899
	Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
Date		2/27/2011	
Run Number		One	
Depth Driller		4625	
Depth Logger		4628	
Bottom Logged Interval		4627	
Top Log Interval		200	
Casing Driller		8.625 @ 226	
Casing Logger		223	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		9200	
Density / Viscosity		9.4 65	
pH / Fluid Loss		10.5 8.0	
Source of Sample		Flowline	
Rm @ Meas. Temp		0.40 @ 64	
Rmf @ Meas. Temp		0.30 @ 64	
Rmc @ Meas. Temp		0.54 @ 64	
Source of Rmf / Rmc		Charts	
Rm @ BHT		0.21 @ 122	
Operating Rig Time		4 Hours	
Max Rec. Temp. F		122	
Equipment Number		4	
Location		Hays	
Recorded By		R. Barnhart	
Witnessed By		Michael Davignon	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Oakley, KS:
16S to Mustang Rd., 1 1/2W, N into




Database File: c:\warrior\data\blake exp_scheetz unit #1\blake_scheetz #1hd.db
Dataset Pathname: dil\blkmain
Presentation Format: dil2in
Dataset Creation: Sun Feb 27 21:56:39 2011
Charted by: Depth in Feet scaled 1:600




Charted by: Depth in feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0 Shallow Resistivity 50			LSPD
0 Deep Resistivity 50			
1000 Conductivity			0
15000 Line Tension			0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	







































Database File: c:\warrior\data\blake_exp_scheetz unit #1\blake_scheetz #1hd.db
Dataset Pathname: dil/blkmain
Presentation Format: dil
Dataset Creation: Sun Feb 27 21:56:39 2011
Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700

3750




-31

-31

-31

-30

-29




3750

3800

3850

3900

3950




-31

-41

-40

-30

-31




4000

4050

4100

4150




-30

-30

-33

-32




4200

4250

4300

4350

4400




-32

-32

-31

-31

-31




4450

4500

4550

4600



-31

-31

-31

-31

