

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-109-20,981-00-00

Company Blake Exploration, LLC

Well Huck Trust No. 2

Field Elkader

County Logan

State

Kansas

Location

SW NE SE SE
900' FSL & 500' FEL

Other Services
CNL/CDL
MEL

Sec: 6

Twp: 14 S

Rge: 32 W

Elevation

Permanent Datum

Ground Level

Elevation 2865

Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

K.B. 2876
D.F. 2865
G.L. 2865

Date

2/18/2011

Run Number

One

Depth Driller

4570

Depth Logger

4570

Bottom Logged Interval

4569

Top Log Interval

200

Casing Driller

8.625 @ 225

Casing Logger

220

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

7200

Density / Viscosity

9.3

68

pH / Fluid Loss

11.5

6.0

Source of Sample

Flowline

Rm @ Meas. Temp

.50 @ 52

Rmf @ Meas. Temp

.38 @ 52

Rmc @ Meas. Temp

.68 @ 52

Source of Rmf / Rmc

Charts

Rm @ BHT

.21 @ 122

Operating Rig Time

4 Hours

Max Rec. Temp. F

122

Equipment Number

15

Location

Hays

Recorded By

Jim Schuler

Witnessed By

Michael Davignon

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Oakley, 16 Miles South to Mustang Road,
3 Miles West, 1 Mile South, 1/4 Mile West, North Into




Database File: blake_exploration_huck_2hd.db
Dataset Pathname: dil/blastk
Presentation Format: dil2in
Dataset Creation: Fri Feb 18 22:16:42 2011
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD























3950

4000

4050

4100

4150

4200



4250


4300

4350



4400


4450








Database File: blake_exploration_huck_2hd.db
 Dataset Pathname: dil/blastk
 Presentation Format: dil
 Dataset Creation: Fri Feb 18 22:16:42 2011
 Charted by: Depth in Feet scaled 1:240





Database File: blake_exploration_huck_2hd.db
 Dataset Pathname: dil/blastk
 Presentation Format: dil
 Dataset Creation: Fri Feb 18 22:16:42 2011
 Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700




-31

-31

-31

-31




3750

3800

3850

3900

3950




-30

-31

-31

-31

-30





4000

4050

4100

4150






4200

4250

4300

4350




-30

-30

-30

-30




4400

4450

4500

4550

0 Gamma Ray 150
-160 RXO/RT 40
-200 SP 0



-30

-30

-30

-29

0.2 Deep Resistivity 2000
0.2 Medium Resistivity 2000
0.2 Shallow Resistivity 2000
10000 Line Tension 0

LSPD