



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.

15-065-23751-00-00

Company TexKan Exploration, LLC

Well Pfeifer No. 1

Field Bollig

County Graham State Kansas

Location

330' FNL & 990' FWL

Other Services

None

Sec: 33 Twp: 9 S Rge: 25 W

Elevation

Permanent Datum Ground Level Elevation 2554
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2561
D.F. 2554
G.L. 2554

Date 9/16/2011

Run Number One

Depth Driller 4125

Depth Logger 4126

Bottom Logged Interval 4125

Top Log Interval 200

Casing Driller 8.625 @ 230

Casing Logger 229

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 2200

Density / Viscosity 9.5 57

pH / Fluid Loss 7.6 9.5

Source of Sample Flowline

Rm @ Meas. Temp 1.1 @ 70

Rmf @ Meas. Temp 0.83 @ 70

Rmc @ Meas. Temp 1.49 @ 70

Source of Rmf / Rmc Charts

Rm @ BHT 0.66 @ 117

Operating Rig Time 2 Hours

Max Rec. Temp. F 117

Equipment Number 17

Location Hays

Recorded By B. Becker

Witnessed By Bill Robinson

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Wakeeney, Ks;
North to H Rd (Red Line Rd);
14 West; South Into

Database File: texkanhd.db
Dataset Pathname: RAG/txknrag
Presentation Format: rag2in
Dataset Creation: Fri Sep 16 14:29:04 2011
Charted by: Depth in Feet scaled 1:600

LSPD





750

800

850

900

950

1000


1050

1100

1150

1200

1250



-65

-65

-65

-65

-66

-66


-66

-64

-64

-64

-64



1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-64

-64

-64

-64

-64

-64



-64


-64

-64


-62


-62





2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850





2900

2950

3000

3050

3100

3150


3200

3250

3300

3350

3400



-72

-70

-70

-70

-70

-70


-70

-70

-70

-70

-70



3450

3500

3550

3600

3650

3700


3750

3800

3850

3900

3950



-71

-71

-68

-31

-31

-31


-31

-31



-31


-31

-31



Database File: texkanhd.db
 Dataset Pathname: RAG/txknrag
 Presentation Format: rag
 Dataset Creation: Fri Sep 16 14:29:04 2011
 Charted by: Depth in Feet scaled 1:240





Database File: texkanhd.db
Dataset Pathname: RAG/txknrag
Presentation Format: rag
Dataset Creation: Fri Sep 16 14:29:04 2011
Charted by: Depth in Feet scaled 1:240

