PIONEER

Pioneer Energy Services

Sonic Cement Bond Log

API No. 15-00925843-00-00

Company John Roy Evans Oil Co. LLC.

Well Demel No. 2

Field Demel

County Barton State Kansas

Location 1210' FNL & 2310 FEL

Sec: 6 Twp: 17 S Rge: 11 W

Other Services: GRN

Permanent Datum	Ground Level	Elevation 1870	Elevation
Log Measured From	Kelly Bushing	7' Ft. Above Perm. Datum	K.B. 1876
Drilling Measured From	Kelly Bushing		D.F. 1875
			G.L. 1869

Run Number	One	
Date Survey	6/04/2013	
Date Cementing	5/28/2013	
Type Cementing Operation	Primary	
Depth Driller	3600	
Depth Logger	3375	
Logged Interval	3375 to 2000	to
Casing Driller	5.5" @ T.D.	@
Float Collar -- D.V. Tool	//// ////	
Squeeze Depth	////	
Amount & Type Cement	////	
Amount & Type Admix	////	
Type Fluid In Hole	Water	
Fluid Level	Full	
Salinity PPM CL	////	
Weight lb/gal -- Vis.	//// ////	
Approx. Logged Cement Top	2270	
Calculated Cement Top	////	
Max. Hole Temperature	111	
Tool No.	RBT 4-4	
Spacing Recorded	3-5	
Equipment -- Location	14 Hays	
Recorded By	A Dreiling	
Witnessed By	Mr Gary Kirmer	

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Pioneer Energy Services
785.625.3858


Claflin Ks.
6 N , 2 3/8 W,
S into

PIONEER
Pioneer Energy Services

Anhydrite

Database File: john_roy_evans-deniel_2.db
Dataset Pathname: gmcbl/pass4
Presentation Format: cbldr
Dataset Creation: Tue Jun 04 08:57:00 2013 by Log 7.0 B1
Charted by: Depth in Feet scaled 1:240







PIONEER


Pioneer Energy Services


Main Pass


Database File:	john_roy_evans-demel_2.db
Dataset Pathname:	gmcbl/pass3 1
Presentation Format:	cbldr
Dataset Creation:	Tue Jun 04 09:17:54 2013 by Calc 7.0.B1
Charted by:	Depth in Feet scaled 1:240






2150
2200
2250
Top of Cement
2300


2350
2400
2450
2500
2550


2600
2650
2700
2750
2800


2850
2900
2950
3000
3050


3100
3150
3200
3250
3300
Amplified Amplitude
Pipe Amplitude
Gamma Ray





PIONEER

Pioneer Energy Services

Repeat Section

Database File: john_roy_evans-demel_2.db
Dataset Pathname: gmcbl/pass2 1
Presentation Format: cbldr
Dataset Creation: Tue Jun 04 09:16:52 2013 by Calc 7.0 B1
Charted by: Depth in Feet scaled 1:240




3300
3350
Gamma Ray
150
000
LTEN (lb)
0
amp3ft
(mV)
-100
10
3
Casing Collars
-0.5
200
0
Pipe Amplitude (mV)
100
0
Amplified Amplitude (mV)
20
wvf5ft
1200