



Weatherford

COMPACT PHOTO DENSITY COMPENSATED NEUTRON LOG

COMPANY

O'BRIEN ENERGY RESOURCES CORP.

WELL

MEADE LAKE OFFSET #2-13

FIELD

WILDCAT


PROVINCE/COUNTY

MEADE

COUNTRY/STATE

U.S.A. / KANSAS

LOCATION

430' FNL & 350' FWL
SE NW NW NW

SEC

TWP

RGE

Other Services

MML

13

33S

29W

MAI/MFE

Permit Number

15-119-21299

Permanent Datum G.L., Elevation 2505 feet

Log Measured From KB

Drilling Measured From K.B.

Date

04-OCT-2011

Elevations:

KB 2516.00
DF 2514.00
GL 2505.00

Run Number

ONE

Depth Driller

6250.00

feet

Depth Logger

6254.00

feet

First Reading

6232.00

feet

Last Reading

4000.00

feet

Casing Driller

1462.00

feet

Casing Logger

1462.00

feet

Bit Size

7.875

inches

Hole Fluid Type

CHEMICAL

Density / Viscosity

9.10

lb/USg

47.00

CP

PH / Fluid Loss

10.00

8.00

ml/30Min

Sample Source

FLOWLINE

Rm @ Measured Temp

0.99 @ 90.0

ohm-m

Rmf @ Measured Temp

0.79 @ 90.0

ohm-m

Rmc @ Measured Temp

1.19 @ 90.0

ohm-m

Source Rmf / Rmc

CALC

CALC

Rm @ BHT

0.70 @ 127.0

ohm-m

Time Since Circulation

4 HOURS

Max Recorded Temp

127.00

deg F

Equipment Name

COMPACT

Equipment / Base

13025

LIB

Recorded By

L. SCOTT

PETER DEBENHAM

ROGER PEARSON

LB11-254

3531195

3531195

BOREHOLE RECORD

Last Edited: 04-OCT-2011 04:52

Bit Size
inches

7.875

Depth From
feet

1462.00

Depth To
feet

6254.00

CASING RECORD

Type

SURFACE

Size
inches

8.625

Depth From
feet

0.00

Shoe Depth
feet

1462.00

Weight
pounds/ft

24.00

REMARKS

Tools Run: MAI, MPD, MCG, MDN, MFE, MML,

Hardware: MPD: 8 inch profile plate used. MAI and MFE: 0.5 inch standoffs used. MDN: Dual Eccentralizer used.

2.71 G/CC Limestone density matrix used to calculate porosity.

Borhole rugosity, tight pulls, and washouts will affect data quality.

All intervals logged and scaled per customer's request.

Annular volume with 4.5 inch production casing= 549 cu. ft.

Service order #3531195

Rig: Duke #6

Engineer: L. Scott

Operator(s): K. Rinehart, B. Johnson

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or wilful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions in our price schedule.

5 INCH MAIN


Depth Based Data - Maximum Sampling Increment 10.0cm


Plotted on 02-DEC-2011 13:29


Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford...\O'Brien Meade Lake Offset 2-13_003.dta

Recorded on 04-OCT-2011 03:19

System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513







113°

4350

113°

4400


114°


4450


114°

4500

600







116°

4800

500

117°


4850


117°


4900



117°


4950











DST Uprate Tension →

124°

5900

124°

5950


100



125°

6000


126°

6050





← Timing Marks every 60.0 sec




Borehole Temp in deg F

HVI every 10 cu ft

Annular Integral every 10 cu ft

Replay Scale 1:240




Depth Based Data - Maximum Sampling Increment 10.0cm
 Plotted on 02-DEC-2011 13:29
 Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford ...\O'Brien Meade Lake Offset 2-13_003.dta
 Recorded on 04-OCT-2011 03:19
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513

↑ 5 INCH MAIN ↑

↓ 10 INCH HIGH RESOLUTION ↓

Depth Based Data - Maximum Sampling Increment 2.5cm
 Plotted on 02-DEC-2011 13:29
 Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford ...\O'Brien Meade Lake Offset 2-13_001.dta
 Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Plotted with 12.01.3513




Depth in Feet


Borehole Temp in deg F


HVI every 10 cu ft

Annular Integral every 10 cu ft

Replay Scale









121°

5750

121°

5800





122°


5850

122°

5900

5904

Depth in Feet



Limestone Neutron Por.

percent

30 20 10 0 -10


Timing Marks every 60.0 sec

Gamma Ray

API

0 75 150


Borehole Temp in deg F







10 INCH HIGH RESOLUTION

REPEAT SECTION

Depth Based Data - Maximum Sampling Increment 10.0cm
 Plotted on 02-DEC-2011 13:29
 Filename: C:\Users\Joel\AppData\Local\Temp\Weatherford ...\O'Brien Meade Lake Offset 2-13_002.dta
 Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513





Depth Based Data - Maximum Sampling Increment 10.0cm
 Plotted on 02-DEC-2011 13:29
 Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford ...\O'Brien Meade Lake Offset 2-13_002.dta
 Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513

5 INCH MAIN


Depth Based Data - Maximum Sampling Increment 10.0cm

Plotted on 02-DEC-2011 13:29

Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford...O'Brien Meade Lake Offset 2-13_003.dta



Recorded on 04-OCT-2011 03:19

System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513





Depth in Feet



Borehole Temp in deg F




HVI every 10 cu ft



Annular Integral every 10 cu ft



Replay Scale 1:240





4000


110°

4050

111°







113°

4350

113°

4400


114°



4450



114°



4500

600









118°

5000₃₀₀

118°

5050

PE

Limestone Density Por.

Compensated Density

Density Correction

118°


5100


400


118°


5150


119°















Borehole Temp in deg F

HVI every 10 cu ft

Annular Integral every 10 cu ft

Replay Scale 1:240




Depth Based Data - Maximum Sampling Increment 10.0cm
 Plotted on 02-DEC-2011 13:30
 Filename: C:\Users\Joel\AppData\Local\Temp\Weatherford ... \O'Brien Meade Lake Offset 2-13_003.dta
 Recorded on 04-OCT-2011 03:19
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513

5 INCH MAIN

10 INCH HIGH RESOLUTION

Depth Based Data - Maximum Sampling Increment 2.5cm
 Plotted on 02-DEC-2011 13:30
 Filename: C:\Users\Joel\AppData\Local\Temp\Weatherford ... \O'Brien Meade Lake Offset 2-13_001.dta
 Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Plotted with 12.01.3513




Depth in Feet

Borehole Temp in deg F

HVI every 10 cu ft

Annular Integral every 10 cu ft



5000 pounds 0

Replay Scale 1:120

5600

100

121°

5650

Bit Size

Density Caliper

Gamma Ray

DST Up/rote Tension

121°


5700


PE

Limestone Density Por

Vector Processed Density

Density Correction







121°

5750

121°

5800






122°

5850

122°

5900

5904
Depth
in
Feet



Vectar Processed Density

grams/cc

2 2.25 2.50 2.75 3


Timing Marks
every 60.0 sec

Gamma Ray

API

0 75 150

Borehole
Temp in
deg F





Depth Based Data - Maximum Sampling Increment 2.5cm Plotted on 02-DEC-2011 13:30
 Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford...\O'Brien Meade Lake Offset 2-13_001.dta Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Plotted with 12.01.3513





↑ 10 INCH HIGH RESOLUTION ↑

↓ REPEAT SECTION ↓

Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 02-DEC-2011 13:30
 Filename: C:\Users\Joe\AppData\Local\Temp\Weatherford...\O'Brien Meade Lake Offset 2-13_002.dta Recorded on 04-OCT-2011 02:18
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 12.01.3513







BEFORE SURVEY CALIBRATION

C:\Users\Joe\AppData\Local\Temp\Weatherford PreView\0\O'Brien Meade Lake Offset 2-13.dta

Down-hole Tension Calibration All 000

Field Calibration on 30-JUN-2010 01:00

Reading No	Measured	Calibrated (lbs)
1	14112.01	10.00
2	15164.79	427.00

General Constants All 000

Last Edited on 04-OCT-2011 01:11

General Parameters

Mud Resistivity	0.990	ohm-metres
Mud Resistivity Temperature	90.000	degrees F
Water Level	0.000	feet
Density/Neutron Processing	Wet Hole	

Hole/Annular Volume and Differential Caliper Parameters

HVOL Method	Single Caliper	
HVOL Caliper 1	Density Caliper	
HVOL Caliper 2	N/A	
Annular Volume Diameter	4.500	inches
Caliper for Differential Caliper	Density Caliper	

Rwa Parameters

Porosity used	Base Density Porosity
Resistivity used	Array Ind. One Res Rt
RWA Constant A	1.000
RWA Constant M	2.000

Down-hole Tension Calibration SMS 0

Field Calibration on 10-SEP-2011 05:32

Reading No	Measured	Calibrated (lbs)
1	-2243.52	0.00
2	-2203.03	480.60

High Resolution Temperature Calibration MCG-C 139

Field Calibration on 02-AUG-2011 18:13

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	75.00	75.00

High Resolution Temperature Constants MCG-C 139

Last Edited on

Pre-filter Length	11
-------------------	----

SP Calibration MCG-C 139

Field Calibration on 29-AUG-2011 10:25

	Measured	Calibrated (mV)
Reference 1	103.7	100.0
Reference 2	-96.7	-100.0

Gamma Calibration MCG-C 139

Field Calibration on 03-OCT-2011 14:43

	Measured	Calibrated (API)
Background	71	49
Calibrator (Gross)	1136	774
Calibrator (Net)	1065	725

Gamma Constants MCG-C 139

Last Edited on 04-OCT-2011 01:11

Gamma Calibrator Number	grc38	
Mud Density	1.09	gm/cc
Caliper Source for Processing	Density Caliper	
Tool Position	Eccentred	
Concentration of KCl	0.00	kppm

Micro Normal and Micro Inverse Calibration MML-A 16

Base Calibration on 06-SEP-2011 15:54

Field Check on 03-OCT-2011 14:23

Base Calibration

Measured	Calibrated (ohm m)
----------	--------------------

Channel	Resistor 1	Resistor 2	Resistor 1	Resistor 2
Micro Normal	12.2	60.2	2.6	12.8
Micro Inverse	15.6	78.3	1.7	8.4

Channel	Base Check (ohm-m)	Field Check (ohm-m)
Micro Normal	32.1	32.1
Micro Inverse	16.3	16.3

Micro Normal and Micro Inverse Constants MML-A 16

Last Edited on 03-OCT-2011 14:22

Pad Type	8-12 in Soft Rubber Inflatable 006-9011-159		
Micro Normal K Factor	0.5110		
Micro Inverse K Factor	0.3380		
Standoff Offset	N/A	inches	

Caliper Calibration MML-A 16

Base Calibration on 06-SEP-2011 15:42
Field Calibration on 03-OCT-2011 14:31

Base Calibration		
Reading No	Measured	Calibrator Size (in)
1	14123	5.98
2	17493	7.97
3	20788	9.86
4	24810	11.92
5	0	0.00
6	N/A	N/A

Field Calibration		
	Measured Caliper (in)	Actual Caliper (in)
	5.99	5.98

Neutron Calibration MDN-A.B 66

Base Calibration on 13-SEP-2011 12:51
Field Check on 03-OCT-2011 14:49

Base Calibration				
	Measured		Calibrated (cps)	
	Near	Far	Near	Far
Ratio	3143	99	3714	110
	31.704		33.764	

Field Calibrator at Base		
	Calibrated (cps)	
Ratio	1637	2327
	0.703	

Field Check		
	Calibrated (cps)	
Ratio	1624	2323
	0.699	

Neutron Constants MDN-A.B 66

Last Edited on 04-OCT-2011 01:12

Neutron Source Id	P58125B		
Neutron Jig Number	5824NE		
Epithermal Neutron	No		
Caliper Source for Processing	Density Caliper		
Stand-off	0.00	inches	
Mud Density	1.00	gm/cc	
Limestone Sigma	7.10	cu	
Sandstone Sigma	4.26	cu	
Dolomite Sigma	4.70	cu	
Formation Pressure Source	None		
Formation Pressure	N/A	kpsi	
Temperature Source	Constant Value		
Temperature	68.00	degrees F	
Mud Salinity	0.00	kppm	
Formation Fluid Salinity Source	Constant Value		
Formation Fluid Salinity	0.00	kppm	
Barite Mud Correction	Not Applied		

FE Calibration MFE-A.A 52

Base Calibration on 06-SEP-2011 15:24
Field Check on 03-OCT-2011 14:22

Base Calibration		
	Measured	Calibrated (ohm-m)
Reference 1	0.0	0.0
Reference 2	965.4	126.8

Base Check 279.9

Field Check 279.8

FE Constants MFE-A.A 52

Last Edited on 04-OCT-2011 01:12

Running Mode	No Sleeve	
MFE K Factor	0.1268	
Caliper Source for FE correction	Density Caliper	
Caliper Value for FE correction	N/A	inches
Rm Source for FE correction	Temperature Corr	
Temp. for Rm Corr.	MCG External Temperature	
Stand-off	0.5	inches

High Resolution Temperature Calibration MAI-A.A 167

Field Calibration on 02-AUG-2011 18:25

	Measured	Calibrated(Deg F)
Lower	1.00	33.80
Upper	11.00	51.80

High Resolution Temperature Constants MAI-A.A 167

Last Edited on

Pre-filter Length 11

Induction Calibration MAI-A.A 167

Base Calibration on 11-MAR-2011 09:58
Field Check on 03-OCT-2011 14:21

Base Calibration

Test Loop Calibration		Measured		Calibrated (mmho/m)	
Channel	Low	High	Low	High	
1	17.3	474.2	9.3	966.2	
2	6.3	388.4	7.6	821.4	
3	3.3	259.4	5.2	566.0	
4	1.9	133.0	2.6	279.2	
Array Temperature	76.8		Deg F		
Channel		Base Check (mmho/m)		Field Check (mmho/m)	
	Low	High	Low	High	
1	0.0	0.0	13.5	3837.9	
2	0.0	0.0	29.6	3475.0	
3	0.0	0.0	29.1	3051.1	
4	0.0	0.0	19.7	2080.2	
Deep	0.0	0.0	18.5	2047.5	
Medium	0.0	0.0	42.2	3988.7	
Shallow	0.0	0.0	43.1	5051.7	
Array Temperature	0.0		81.6		Deg F

Induction Constants MAI-A.A 167

Last Edited on 04-OCT-2011 01:13

Induction Model	RtAP-WBM	
Caliper for Borehole Corr.	Density Caliper	
Hole Size for Borehole Correction	N/A	inches
Tool Centred	No	
Stand-off Type	Fins	
Stand-off	0.50	inches
Number of Fins on Stand-off	8.0000	
Stand-off Fin Angle	45.00	degrees
Stand-off Fin Width	0.5000	inches
Borehole Corr. Rm Source	Temperature Corr	
Temp. for Rm Corr.	MCG External Temperature	
Squasher Start	0.0020	mhos/metre
Squasher Offset	N/A	mhos/metre

Borehole Normalisation

DRM1	0.0000	DRC1	0.0000
DRM2	0.0000	DRC2	0.0000
MRM1	0.0000	MRC1	0.0000
MRM2	0.0000	MRC2	0.0000
SRM1	0.0000	SRC1	0.0000
SRM2	0.0000	SRC2	0.0000

Calibration Site Corrections		
Channel 1	0.00	mmhos/metre
Channel 2	0.00	mmhos/metre
Channel 3	0.00	mmhos/metre
Channel 4	0.00	mmhos/metre
Apparent Porosity and Water Saturation Constants		
Archie Constant (A)	1.00	
Cementation Exponent (M)	2.00	
Saturation Exponent (N)	2.00	
Saturation of Water for Apor	100.00	percent
Resistivity of Water for Apor and Sw	0.05	ohm-m
Resistivity of Mud Filtrate for Sw	0.00	ohm-m
Source for Rt	0.00	
Source for Rxo	0.00	

Caliper Calibration MPD-B 35

Base Calibration on 06-SEP-2011 17:16
Field Calibration on 03-OCT-2011 14:25

Base Calibration		
Reading No	Measured	Calibrator Size (in)
1	19648	3.99
2	29970	5.98
3	40402	7.97
4	49920	9.86
5	60645	11.92
6	N/A	N/A
Field Calibration		
	Measured Caliper (in)	Actual Caliper (in)
	5.86	5.98

Photo Density Calibration MPD-B 35

Base Calibration on 06-SEP-2011 17:37
Field Check on 03-OCT-2011 14:30

Density Calibration					
Base Calibration		Measured		Calibrated (sdu)	
	Near	Far	Near	Far	
Reference 1	56515	26877	59556	30836	
Reference 2	23047	2560	24941	2541	
Field Check at Base					
	1159.0	1382.3			
Field Check					
	1159.9	1377.1			
PE Calibration					
Base Calibration		Measured		Calibrated	
	WS	WH	Ratio	Ratio	
Background	208	1024			
Reference 1	21161	56315	0.379	0.371	
Reference 2	6144	22898	0.271	0.272	
Field Check at Base					
	208.4	1023.8			
Field Check					
	208.5	1024.0			

Density Constants MPD-B 35

Last Edited on 04-OCT-2011 01:12

Density Source Id	p50557b	
Nylon Calibrator Number	dnce695	
Aluminium Calibrator Number	dacd698	
Density Shoe Profile	8 inch	
Caliper Source for Processing	Density Caliper	
PE Correction to Density	Not Applied	
Mud Density	1.09	gm/cc
Mud Density Z/A Multiplier	1.11	
Mud Filtrate Density	1.00	gm/cc
Dry Hole Mud Filtrate Density	1.00	gm/cc
DNCT	0.00	gm/cc

CRCT	0.00	gm/cc
Density Z/A Correction	Hybrid	
Matrix Density (gm/cc)	Depth (ft)	
2.71	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	

DOWNHOLE EQUIPMENT

C:\Users\Joe\AppData\Local\Temp\Weatherford PreView\0\O'Brien Meade Lake Offset 2-13.dta

Compact Comms Gamma
MCG-C 139 LG: 8.70 ft WT: 63.9 lb OD: 2.24 in

Compact Comms Gamma
MCG-C 139 LG: 8.70 ft WT: 63.9 lb OD: 2.24 in

Compact Micro-log
MML-A 16 LG: 7.97 ft WT: 81.6 lb OD: 2.24 in

Compact Micro-log
MML-A 16 LG: 7.97 ft WT: 81.6 lb OD: 2.24 in

Compact Neutron
MDN-A.B 66 LG: 5.04 ft WT: 50.7 lb OD: 2.24 in

Compact Neutron
MDN-A.B 66 LG: 5.04 ft WT: 50.7 lb OD: 2.24 in

Compact Density/Caliper
MPD-B 35 LG: 9.59 ft WT: 90.4 lb OD: 2.45 in

Compact Density/Caliper
MPD-B 35 LG: 9.59 ft WT: 90.4 lb OD: 2.45 in

SKJ-D.A Compact Knuckle Joint
SKJ-D.A 36 LG: 2.17 ft WT: 24.3 lb OD: 2.24 in

SKJ-D.A Compact Knuckle Joint
SKJ-D.A 36 LG: 2.17 ft WT: 24.3 lb OD: 2.24 in

Compact Focussed Electric
MFE-A.A 52 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in


Compact Focussed Electric
MFE-A.A 52 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in


Compact Induction
MAI-A.A 167 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Compact Induction
MAI-A.A 167 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Total Length: 50.32 ft Weight: 407.9 lb

Total Length: 50.32 ft Weight: 407.9 lb





Tool Zero (0.13ft from bottom)
 Tool Zero (0.13ft from bottom)
 -0.13 ft SMTU - DST Uphole Tension
 -0.13 ft SMTU - DST Uphole Tension
 All measurements relative to tool zero.
 All measurements relative to tool zero.

COMPANY	O'BRIEN ENERGY RESOURCES CORP.
WELL	MEADE LAKE OFFSET #2-13
FIELD	WILDCAT
PROVINCE/COUNTY	MEADE
COUNTRY/STATE	U.S.A. / KANSAS

Elevation Kelly Bushing	2516.00	feet	First Reading	6232.00	feet
Elevation Drill Floor	2514.00	feet	Depth Driller	6250.00	feet
Elevation Ground Level	2505.00	feet	Depth Logger	6254.00	feet

	<p>COMPACT PHOTO DENSITY COMPENSATED NEUTRON LOG</p>	
--	--	---