



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-193-20,825-00-00

Company Raymond Oil Company, Inc.
Well Olson-Kistler No. 1
Field Wildcat
County Thomas
State Kansas

Location 200' FNL & 2493' FWL
Sec: 6 Twp: 10 S Rge: 34 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 3302
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 3307
D.F.
G.L. 3302

Date	10/24/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	4960
Depth Logger	4957
Bottom Logged Interval	4936
Top Logged Interval	3600
Type Fluid In Hole	Chemical
Salinity, PPM CL	8400
Density	9.3
Level	Full
Max. Rec. Temp. F	126
Operating Rig Time	4 1/2 Hours
Equipment -- Location	17 Hays
Recorded By	D Kerr
Witnessed By	Kim Shoemaker

Borehole Record		Casing Record					
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	300	8.625	24#	00	300
2	7.875	300	4960				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Mingo KS, West to HWY 25,
4 South, 4 West, 1 North,
1 1/2 West, South Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			







Database File: c:\warrior\data\raymond oil_olson-kistler no. 1\raymond_olsonkistler_1hd.db
 Dataset Pathname: DIL/raystk
 Presentation Format: cndlspec
 Dataset Creation: Mon Oct 24 16:52:28 2011
 Charted by: Depth in Feet scaled 1:240

