



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No. 15-009-25,595-00-00		Company John Roy Evans Oil Company, LLC	
Well Zorn "A" No. 5		Field Kraft-Prusa	
County Barton		State Kansas	
Location NW SE SW SW 650' FSL & 4,590' FEL		Other Services None	
Sec: 31 Twp: 16S Rge: 11W		Elevation K.B. 1916 D.F. 1909 G.L. 1909	
Permanent Datum Ground Level		Elevation 1909	
Log Measured From Kelly Bushing		7 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing			
Date	8/29/2011		
Run Number	One		
Depth Driller	3346		
Depth Logger	3342		
Bottom Logged Interval	3341		
Top Log Interval	750		
Casing Driller	8.625 @ 770		
Casing Logger	767		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	7000		
Density / Viscosity	9.15 61		
pH / Fluid Loss	10.0 10.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.42 @ 84		
Rmf @ Meas. Temp	.32 @ 84		
Rmc @ Meas. Temp	.57 @ 84		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.32 @ 109		
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	109		
Equipment Number	10		
Location	Hays		
Recorded By	J. Long		
Witnessed By	Jim Musgrove		


<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Odin, 1 East, 3 North, 200 Yards East, North Into







1850

1900

1950

2000

2050

2100


2150

2200

2250

2300

2350



-100

-100

-100

-100

-100

-100


-100

-97

-97

-97

-97



2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-97

-96

-96

-96

-96

-96


-96

-102

-34


-33

-34





Database File: c:\warrior\data\john roy evans_zorn a no. 5\johnroyevans_zorn_a_5hd.db
 Dataset Pathname: rag/johnrag
 Presentation Format: rag
 Dataset Creation: Wed Aug 31 13:08:20 2011
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neutron	2160





Database File: c:\warrior\data\john roy evans_zorn a no. 5\johnroyevans_zorn_a_5hd.db
 Dataset Pathname: rag/johnrag
 Presentation Format: rag
 Dataset Creation: Wed Aug 31 13:08:20 2011
 Charted by: Depth in Feet scaled 1:240









LSPD