LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-165-21,939-00-00

Company Trans Pacific Oil Corporation

Well Cumberland "A" No.1-10

Field Wildcat

County Rush State Kansas

Location NE SE SE
990' FSL & 330' FEL
Sec: 10 Twp: 16S Rge: 20W

Other Services
DIL

Elevation
K.B. 2144
D.F.
G.L. 2137

Permanent Datum Ground Level
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation 2137

Date	8/30/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	3902
Depth Logger	3904
Bottom Logged Interval	3903
Top Logged Interval	3300
Type Fluid In Hole	Chemical
Salinity, PPM CL	10,600
Density	9.5
Level	Full
Max. Rec. Temp. F	115
Operating Rig Time	2 1/2 Hours
Equipment -- Location	17 Hays
Recorded By	C. Desaire
Witnessed By	Bryce Bidleman

Borehole Record

Run No.	Bit	From	To
1	12.25	00	690
2	7.875	690	3902

Casing Record

Size	Wgt.	From	To
8.625	24#	00	690

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Liebenthal KS, 10 1/2 W to "BELL",
2 N, NW Into

Database File:	c:\warrior\data\trans pacific_cumberland a no.1-10\transpachd.db
Dataset Pathname:	dil/transtk
Presentation Format:	cdl
Dataset Creation:	Tue Aug 30 22:39:17 2011
Charted by:	Depth in Feet scaled 1:600


0 Gamma Ray 150
6 Caliper (GAPI) 16
30 Compensated Density -10
2 Bulk Density 3
15000 Line Tension 0
2.625 DGA 3.425
-0.25 Correction 0.25
LSPD
3300
3350
3400
3450
3500
3550
3600
3650
3700
3750
-31
-31
-31
-31
-30
-30
-30
-30




0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD


Database File:	c:\warrior\data\trans pacific_cumberland a no.1-10\transpachd.db
Dataset Pathname:	dil/transtk
Presentation Format:	cndlspec
Dataset Creation:	Tue Aug 30 22:39:17 2011
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Neutron (Limestone)				-10
30	Compensated Density (Limestone)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0
					LSPD




3400
3450
3500
3550
3600
-31
-31
-31
-30
-30


3650
3700
3750
3800
-30
-30
-30
-30


3850
3900
-30
-30
0 Gamma Ray 150
6 Caliper (GAPI) 16
30 Compensated Neutron (Limestone) -10
30 Compensated Density (Limestone) -10
2.625 DGA 3.425
-0.25 Correction 0.25
15000 Line Tension 0
LSPD