LOG-TECH

DIGITAL LOG

(785) 625-3858

Dual Compensated Porosity Log

API No. 15-009-25617-00-00

Company	Scheck Oil Operations
Well	Schneider #2
Field	Trapp
County	Barton
	State **Kansas**

Location E/2 E/2 SE
1320' FSL / 330' FEL

Sec: 21 Twp: 17S Rge: 13W

Elevation 1922
8 Ft. Above Perm. Datum

Other Services DIL/MEL

Elevation
K.B. 1930
D.F.
G.L. 1922

Permanent Datum	Ground Level
Log Measured From	Kelly Bushing
Drilling Measured From	Kelly Bushing
Date	10/27/2011
Run Number	One
Type Log	CNL / CDL
Depth Driller	3470
Depth Logger	3470
Bottom Logged Interval	3449
Top Logged Interval	2400
Type Fluid In Hole	Chemical
Salinity, PPM CL	5000
Density	9.4
Level	Full
Max. Rec. Temp. F	111
Operating Rig Time	4 Hours
Equipment -- Location	15 Hays
Recorded By	R. Barnhart
Witnessed By	Steve Miller

Borehole Record

Run No	Bit	From	To	Size	Wgt.
One	12.25	00	457	8.625	23#
Two	7.875	457	TD		

Casing Record

	From	To
	00	457

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hoisington, KS:
2N, 1E, 1/2N, W into

0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425	-0.25	Correction	0.25

LSPD

2400

2450

2500

2550

2600

2650

2700

2750

2800

2850

-36

-35

-35

-35

-35

-35

-35

-35

-35

-35

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0

2.625	DGA	3.425	-0.25	Correction	0.25

LSPD

3450

-33

Database File:	scheckhd.db
Dataset Pathname:	dil/schmain
Presentation Format:	cndlspec
Dataset Creation:	Thu Oct 27 23:59:22 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS	-10
30	Compensated Density (2.71 ma)	-10

2.625	DGA	3.425	-0.25	Correction	0.25

10000	Line Tension	0

2400

2450

2500

3200

3250

3300

3350

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		CNLS		-10
30		Compensated Density (2.71 ma)		-10
2.625	DGA	3.425	-0.25 Correction	0.25
10000		Line Tension		0