

Dual Compensated Porosity Log

DIGITAL LOG

(785) 625-3858

API No.

15-007-22999-00-01

Company **Indian Oil Company, Inc**

Well Axline No. 1 OWWO

Field
List

County Barber State Kansas

W/2 - W/2 - NE

Sec: 16 Twp: 31 S Rge: 11 W

Elevation

Ground Level	Elevation 1809
--------------	----------------

From Kelly Bushing

9/18/2017

	CN
--	----

--	--

Interval	
----------	--

MCL	4
-----	---

7	
---	--

ime	2-1
-----	-----

	B

Anthony Farrar

Scorenole Record

Casing Record

From

[illegible]

cc

Wgt.

From

0	
---	--

309

	TI	
--	----	--

--	--

— 100 —

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Isabel, Ks; 1/2 East; 7 South to Ridge Rd;
1-1/2 East to Northstar Rd; 1-1/2 South;
East Into (cattle guard)


Database File: indianhd.db
Dataset Pathname: DIL/indnstk
Presentation Format: cdl
Dataset Creation: Sun Sep 18 22:04:42 2011
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD










2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD


Database File:	indianhd.db
Dataset Pathname:	DIL/indhstk
Presentation Format:	cnlsspec
Dataset Creation:	Sun Sep 18 22:04:42 2011
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150	30	CNLS			-10	
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)			-10	
			2.625	DGA	3.425	-0.25	Correction	0.25
			10000	Line Tension			0	





















5000

0	Gamma Ray	150
6	Caliper (GAPI)	16



30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0