



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	TRANS PACIFIC OIL CORP.		
Well	MUIR UNIT "A" #1-13		
Field	WILDCAT		
County	ROOKS		
State	KANSAS		
Company	TRANS PACIFIC OIL CORPORATION		
Well	MUIR UNIT "A" #1-13		
Field	WILDCAT		
County	ROOKS		
State	KANSAS		
Location:	API # : 15-163-23984-0000 2505' FSL & 781' FWL		Other Services CDL/CNL DIL/SON
Permanent Datum	GROUND LEVEL		Elevation 1950
Log Measured From	KELLY BUSHING 5' A.G.L.		K.B. 1955
Drilling Measured From	KELLY BUSHING		D.F. 1953
	SEC 13 TWP 6S RGE 18W		G.L. 1950
Date	10/14/11		
Run Number	TWO		
Depth Driller	3690		
Depth Logger	3692		
Bottom Logged Interval	3674		
Top Log Interval	2780		
Casing Driller	8 5/8" @ 218		
Casing Logger	214		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1500 PPM	
Density / Viscosity	9.5/52		
pH / Fluid Loss	11.0/7.2		
Source of Sample	FLOWLINE		
Rin @ Meas. Temp	1.30 @ 74F		
Rinf @ Meas. Temp	.97 @ 74F		
Rinc @ Meas. Temp	1.56 @ 74F		
Source of Rinf / Rinc	MEASURED		
Rin @ BHT	.85 @ 113F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	113F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	WES HANSEN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
STOCKTON, KS. - 6 1/2 MILES NORTH - E. INTO





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 007884ddn.db
Dataset Pathname: pass6.1
Presentation Format: _micro
Dataset Creation: Sat Oct 15 02:26:50 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







3000

3050

3100

3150








3200


3250

3300

3350










SUPERIOR
WELL SERVICES


**Hays,
Kansas**

REPEAT SECTION

Database File: 007884ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: _micro
 Dataset Creation: Sat Oct 15 02:18:34 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report

Database File: 007884ddn.db
 Dataset Pathname: pass5.1
 Dataset Creation: Sat Oct 15 02:18:34 2011 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: MICRO3
 Tool Model: PROBE
 Performed: Thu Mar 31 11:28:13 2011

Caliper Calibration:	Gain=3.916	Offset=-8.871
References	Low Cal 8.000	High Cal 14.000
Readings	4.257	5.789
1.5" Calibration:	Gain=89.104	Offset=-0.337
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	0.228
2" Calibration:	Gain=107.553	Offset=-0.620
References	Low Cal 0.000	High Cal 20.000
Readings	0.005	0.175
Gamma Ray Calibration Report		
Serial Number:	#8	
Tool Model:	OPEN	
Performed:	Mon Jun 13 16:56:43 2011	
Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	175.0	cps
Sensitivity:	0.8371	GAPI/cps