



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc	
15-67-23,757-00-00		Well Schrant No.1	
		Field Aleys West	
		County Russell State Kansas	
Location		NW SE NE NE 950' FNL & 425' FEL	
Sec: 30 Twp: 14 S Rge: 15 W		Other Services CNL/CDL	
Permanent Datum Ground Level		Elevation 1822	
Log Measured From Kelly Bushing		10 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1832 D.F. 1822 G.L. 1822	
Date	12/12/2011		
Run Number	One		
Depth Driller	3500		
Depth Logger	3504		
Bottom Logged Interval	3503		
Top Log Interval	200		
Casing Driller	8.625 @ 223		
Casing Logger	223		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	6700		
Density / Viscosity	9.4 53		
pH / Fluid Loss	10.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.38 @ 48		
Rmf @ Meas. Temp	.29 @ 48		
Rmc @ Meas. Temp	.51 @ 48		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.16 @ 111		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	111		
Equipment Number	17		
Location	Hays		
Recorded By	D. Martin	C. Desaire	
Witnessed By	Tom Denning	Herb Deines	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Gorham, KS
Interstate Exit, 3 1/2 S, 1/2 W, S Into



Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0




0 Shallow Resistivity 50			LSPD
0 Deep Resistivity 50			
1000 Conductivity			0
15000 Line Tension			0
50	Shallow Resistivity 500		
50	Deep Resistivity 500		

























Database File: c:\warrior\data\tdi_schran no.1\tdihd.db
 Dataset Pathname: DIL/tdistk
 Presentation Format: dil
 Dataset Creation: Mon Dec 12 18:43:04 2011
 Charted by: Depth in Feet scaled 1:240








2550

2600

2650

2700

2750




-30

-30


-30

-30


-30



2750
2800
2850
2900
2950



-30
-30
-31
-31
-32
-32
-32




3000

3050

3100

3150




-31

-31

-31

-31




3200

3250

3300

3350

3400



-31

-31

-30

-31

-31

