

Borehole Compensated Sonic Log

(785) 625-3858

Company **American Warrior, Inc.**

Well Irsik No.1-3

Field Wildcat

County	Hodgeman	State	Kansas
--------	----------	-------	--------

CONCLUSIONS

Sec: 3	Twp: 21S	Rge: 26W
--------	----------	----------

Elevation

Permanent Datum	Ground Level	Elevation 2410
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum

Kelly Bushing	11 Ft. Above Perm. Datum
Kelly Bushing	

K.B.	2421
D.F.	
G.L.	2410

Date	12/3/20
------	---------

Run Number	Two
Type Log	BHC Sonic

BFL Sonic

Depth Logger	4717
--------------	------

477

Top Logged Interval	200
---------------------	-----

200

Salinity, PPM CL	4,200
------------------	-------

4,200

Level	Full
-------	------

Full

Operating Rig Time	4 1/2 Hours
--------------------	-------------

1 1/2 Hours

Recorded By	C. Desaire
-------------	------------

C. Desaire

Borehole Record

Borehole Record	
From	

To	
----	--

Size	Wgt.
------	------

Casing Record	
From	

To	
----	--

2	7.875	224	4710		
---	-------	-----	------	--	--

1

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Ness City KS, S to X Rd,
14 W, N Into



Database File: c:\warrior\data\amwar_irsik no.1-3\awhd.db
Dataset Pathname: dil\awstk
Presentation Format: sonic
Dataset Creation: Sun Dec 04 01:51:04 2011
Charted by: Denth in Feet scaled 1:240



Charted by:		Depth in Feet scaled 1:2.15					
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD











































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10
	30	LTEN (lb)	0

LSPD