



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc.	
15-051-26,185-00-00		Well Rohr No. 1	
		Field	
		County Ellis State Kansas	
		Location	SE NE NW SW 2,160' FSL & 1,075' FWL
		Sec: 32 Twp: 14S Rge: 18W	Other Services CNL/CDL DIL
Permanent Datum		Ground Level	Elevation 2044
Log Measured From		Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From		Kelly Bushing	K.B. 2054 D.F. 2044 G.L. 2044
Date	9/27/2011		
Run Number	Two		
Depth Driller	3725		
Depth Logger	3726		
Bottom Logged Interval	3725		
Top Log Interval	2900		
Casing Driller	8.625 @ 223		
Casing Logger	220		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2700		
Density / Viscosity	9.0 52		
pH / Fluid Loss	11.0 6.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.56 @ 70		
Rmf @ Meas. Temp	.42 @ 70		
Rmc @ Meas. Temp	.76 @ 70		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.35 @ 113		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	113		
Equipment Number	10		
Location	Hays		
Recorded By	J. Long		
Witnessed By	Jeff Lawler		
	Tom Denning		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays, 5 South to Antonino Blacktop, 2 West to 230th Avenue, 1/2 North, East Into


Database File: c:\warrior\data\tdi_rohr no. 1\tdi_rohr_1hd.db
Dataset Pathname: dil\tdistck
Presentation Format: micro
Dataset Creation: Tue Sep 27 04:29:50 2011
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




3000
3050
3100
3150

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0



LSPD

-31
-30
-31
-30




3200

3250

3300

3350

3400




-30

-29

-29

-30

-29





3450

3500

3550


3600





3650

3700



-25

-25

LSPD