



Dual Induction Log

DIGITAL LOG (785) 625-3858

15-033-21,594-00-00

API No.

Company **Five Star Energy, Inc.**
 Well **Baker No. 4-35**
 Field **Box Ranch Extension**
 County **Comanche** State **Kansas**

Location **SW SW NW
2,628' FNL & 200' FWL**

Sec: **35** Twp: **34S** Rge: **20W**

Permanent Datum **Ground Level** Elevation **1717**
 Log Measured From **Kelly Bushing** 10 Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

Other Services
 CNL/CDL
 MEL

Elevation
 K.B. 1727
 D.F. 1725
 G.L. 1717

Date	9/10/2011
Run Number	One
Depth Driller	6450
Depth Logger	6450
Bottom Logged Interval	6449
Top Log Interval	650
Casing Driller	8,625 @ 681
Casing Logger	689
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	7000
Density / Viscosity	8.8 48
pH / Fluid Loss	9.5 12.8
Source of Sample	Flowline
Rm @ Meas. Temp	.41 @ 75
Rmf @ Meas. Temp	.31 @ 75
Rmc @ Meas. Temp	.55 @ 75
Source of Rmf / Rmc	Charts
Rm @ BHT	.22 @ 141
Operating Rig Time	4 Hours
Max Rec. Temp. F	141
Equipment Number	10
Location	Hays
Recorded By	J. Long
Witnessed By	Jeff Burk

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

Coldwater, South to Highway 183 and Highway 160 Intersection, 9 South to W Avenue, 8 West,
 1 1/4 South, East Into

Database File: c:\warrior\data\five star energy_baker no. 4-35\fivestarenergy_baker_4-35hd.db
 Dataset Pathname: dil/fivestck
 Presentation Format: dil2in
 Dataset Creation: Sun Sep 11 00:15:53 2011
 Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD



1000	Conductivity	0
15000	Line Tension	0




50	Shallow Resistivity	500
50	Deep Resistivity	500






































Database File: c:\warrior\data\five star energy_baker no. 4-35\five star energy_baker_4-35hd.db
 Dataset Pathname: dil\five star
 Presentation Format: dil
 Dataset Creation: Sun Sep 11 00:15:53 2011
 Charted by: Depth in Feet scaled 1:240




200 0.2 (mV) 2000
-160 Rxo / Rt 40

0.2 Medium Resistivity 2000
15000 Line Tension 0


LSPD



3900
3950
4000
4050



-35
-35
-35
-35




4100

4150

4200

4250

4300




-35

-35

-32

-34

-34




4350

4400

4450

4500




-33

-34

-34

-34




4550

4600

4650

4700

4750




-34

-34

-34

-33

-33




4800

4850

4900

4950




-33

-32

-33

-33




5000

5050

5100

5150




-32

-33

-35

-33




5200

5250

5300

5350

5400




-33

-33

-33

-33

-33




5450

5500

5550

5600




-33

-33

-33

-32




5650

5700

5750

5800

5850




-32

-35

-31

-30

-35




5900

5950

6000

6050




-35

-34

-36

-34




6100

6150

6200

6250




-34


-34

-30

-30



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD