

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

15-007-23772-00-00

Company Dixon Energy, Inc.

Well Kirkbride No. 5

Field Medicine Lodge North

County Barber State Kansas

Location

NE - NE
4620' FSL & 660' FEL

Other Services
CNL/CDL
MEL/BHCS

Sec: 20 Twp: 32 S Rge: 12 W

Permanent Datum Ground Level Elevation 1618

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Elevation
K.B. 1628
D.F. 1618
G.L. 1618

Date 10/15/2011

Run Number One

Depth Driller 4900

Depth Logger 4898

Bottom Logged Interval 4897

Top Log Interval 200

Casing Driller 8.625 @ 227

Casing Logger 225

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 7500

Density / Viscosity 9.4 48

pH / Fluid Loss 10.5 7.2

Source of Sample Flowline

Rm @ Meas. Temp 0.80 @ 62

Rmf @ Meas. Temp 0.60 @ 62

Rmc @ Meas. Temp 1.08 @ 62

Source of Rmf / Rmc Charts

Rm @ BHT 0.40 @ 125

Operating Rig Time 5 Hours

Max Rec. Temp. F 125

Equipment Number 17

Location Hays

Recorded By B. Becker

Witnessed By Ryan Dixon

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Medicine Lodge, Ks; 3 West to Gyp Hill Rd;
2 South to Red Rock; 1/2 East; South Into



Database File: dixonhd.db
Dataset Pathname: DIL/dixstk
Presentation Format: dil2in
Dataset Creation: Sat Oct 15 07:07:12 2011
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD























3950

4000

4050

4100

4150

4200


4250

4300

4350

4400

4450



-33

-27

-33

-32

-32

-32


-32


-32

-32

-31

-31







Database File: dixonhd.db
Dataset Pathname: DIL/dixstk
Presentation Format: dil

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD






3650

3700

3750

3800






-33

-33

-34

-33






4100

4150

4200

4250




-32

-32

-32

-32




4300

4350

4400

4450




-32

-32

-31

-31




4500

4550

4600

4650

4700




-31

-31

-31

-31

-31




4750

4800

4850

4900

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



-31

-31

-30

-32

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD