

LOG-TECH



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25,603-00-00

Company Zinszer Oil Company, Inc.

Well Soeken No. 7

Field Kraft/Prusa

County Barton State Kansas

Location

W/2 SE SW
660' FSL & 1,650' FWL

Other Services

MEL

Sec: 15 Twp: 17S Rge: 11W

Elevation

Permanent Datum Ground Level Elevation 1850
Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 1858
D.F. 1850
G.L. 1850

Date 9/19/2011

Run Number One

Depth Driller 3400

Depth Logger 3402

Bottom Logged Interval 3401

Top Log Interval 650

Casing Driller 8.625 @ 680

Casing Logger 677

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 4900

Density / Viscosity 9.1 57

pH / Fluid Loss 10.0 8.0

Source of Sample Flowline

Rm @ Meas. Temp .51 @ 68

Rmf @ Meas. Temp .38 @ 68

Rmc @ Meas. Temp .69 @ 68

Source of Rmf / Rmc Charts

Rm @ BHT .32 @ 110

Operating Rig Time 4 Hours

Max Rec. Temp. F 110

Equipment Number 10

Location Hays

Recorded By J. Long

Witnessed By Kurt Talbott

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Clafin, 3 North, 1/4 East, North to Tank Batteries, East Into

Database File: sinszer_soeken_7hd.db
Dataset Pathname: rag/zinrag
Presentation Format: rag2in
Dataset Creation: Mon Sep 19 03:52:52 2011
Charted by: Depth in Feet scaled 1:600



LSPD





1200

1250

1300

1350

1400

1450


1500

1550

1600

1650

1700



-87

-87

-87

-87

-87

-87


-87

-87

-87

-84

-84



1750

1800

1850

1900

1950

2000


2050

2100

2150

2200

2250



-84

-84

-84

-84

-84

-84


-84

-84


-84

-82


-81




2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750




-32
-34
-32
-34
-34
-34
-34
-34
-34
-34
-34





2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300



-33
-33
-33
-32
-33
-33
-33
-33
-28
-27
-27





Database File: sinszer_soeken_7hd.db
 Dataset Pathname: rag/zinrag
 Presentation Format: rag
 Dataset Creation: Mon Sep 19 03:52:52 2011
 Charted by: Depth in Feet scaled 1:240





Database File: sinszer_soeken_7hd.db
Dataset Pathname: rag/zinrag
Presentation Format: rag
Dataset Creation: Mon Sep 19 03:52:52 2011
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	0.2	LGRD	2000
6	Caliper (GAPI)	16	560	SWNC	2160
-200	sp	0	15000	Line Tension	0
					LSPD











3150

3200

3250

3300

