



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-101-22,316-00-00

Company Larson Operating Company

Well McWhirter "E" No. 1-3

Field Wildcat

County Lane

State Kansas

Location 330' FSL & 1504' FEL

Sec: 3

Twp: 18 S

Rge: 28 W

Other Services
DIL/MEL

Permanent Datum Ground Level Elevation 2721

Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum

K.B. 2728
D.F.
G.L. 2721

Date 10/28/2011

Run Number One

Type Log CNL / CDL

Depth Driller 4660

Depth Logger 4661

Bottom Logged Interval 4640

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 3100

Density 9.5

Level Full

Max. Rec. Temp. F 125

Operating Rig Time 4 1/2 Hours

Equipment -- Location 91 Hays

Recorded By D.Kerr

Witnessed By Bob Lewellyn

Tom Larson

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

23#

From

To

One 12.25

00

255

8.625

23#

00

255

Two 7.875

255

TD

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Dighton KS, 3 East to Newton RD,
2 North to 170 RD, 1/4 East,
East Into (Stay Left)


Database File: c:\warrior\data\larson_mcwhirtere_#1-3\larson_mcwhirter_102811hd.db
Dataset Pathname: DIL/larstk
Presentation Format: cdl
Dataset Creation: Fri Oct 28 08:45:23 2011
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







Database File: c:\warrior\data\larson_mcwhirtere_#1-3\larson_mcwhirter_102811hd.db
 Dataset Pathname: DIL/larstk
 Presentation Format: cndlspec
 Dataset Creation: Fri Oct 28 08:45:23 2011
 Charted by: Depth in Feet scaled 1:240

