

Dual Compensated Porosity Log

(785) 625-3858

Company **American Warrior, Inc.**

Well Petersilie No.3-11

Field Wildcat

County
Ness
State
Kansas

Sec: 11	Twp: 20S	Rge: 24W
---------	----------	----------

Other Services
DIL
MEL/BHCS
Elevation

Datum From Measured	Elevation
Germanant Ground Level Bushing Kelly	9 Ft. Above Perm. Datum

K.B.	2336
D.F.	
G.L.	2327

Date	12
------	----

Run Number	One
Type Log	CNL / CDL

Joseph Dillmei	4520
----------------	------

Bottom Logged Interval	4505
------------------------	------

op Logged Interval	3600
--------------------	------

Salinity, PPM CL	5,500
------------------	-------

Density	9.3
---------	-----

Level	Full
-------	------

Max. Rec. Temp.	121
-----------------	-----

Operating rig time	4 1/2 Hours	47
--------------------	-------------	----

Recorded By	Location	C. Doccia
1/	11a	

Witnessed By	Jason Alim
--------------	------------

Borehole Record	
-----------------	--

un No.	Bit	From	To
--------	-----	------	----

1	12.25	00	777
---	-------	----	-----

2	7.875	777	4520
---	-------	-----	------

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ness City KS, 7 S,
3 W, 1 1/2 S, 1/8 E, S Into


```
Database File:      c:\warrior\data\amwar_petersilie no.3-11\awhd.db
Dataset Pathname:  dil\awstk
Presentation Format: cdl
Dataset Creation:  Fri Dec 02 07:53:19 2011
Charted by:        Depth in Feet scaled 1:600
```


Charted by:

Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			





Dataset Pathname: dli/awstk
Presentation Format: cndlspec
Dataset Creation: Fri Dec 02 07:53:19 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)			-10	
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)			-10	
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension			0	
							LSPD	

