



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company American Warrior, Inc.		
15-135-25,319-00-00		Well Petersilie No.3-11		
		Field Wildcat		
		County Ness	State	Kansas
Location		1450' FSL & 950' FWL		
Sec: 11		Twp: 20S	Rge: 24W	Other Services CNL/CDL MEL/BHCS
Permanent Datum Ground Level		Elevation 2327		Elevation
Log Measured From Kelly Bushing		9 Ft. Above Perm. Datum		K.B. 2336
Drilling Measured From Kelly Bushing				D.F. 2327
Date		12/2/2011		
Run Number		One		
Depth Driller		4520		
Depth Logger		4526		
Bottom Logged Interval		4525		
Top Log Interval		750		
Casing Driller		8.625 @ 777		
Casing Logger		774		
Bit Size		7.875		
Type Fluid in Hole		Chemical		
Salinity,ppm CL		5.500		
Density / Viscosity		9.3	50	
pH / Fluid Loss		10.0	8.8	
Source of Sample		Flowline		
Rm @ Meas. Temp		.45 @ 48		
Rmf @ Meas. Temp		.34 @ 48		
Rmc @ Meas. Temp		.61 @ 48		
Source of Rmf / Rmc		Charts		
Rm @ BHT		.18 @ 121		
Operating Rig Time		4 1/2 Hours		
Max Rec. Temp. F		121		
Equipment Number		17		
Location		Hays		
Recorded By		C. Desaire		
Witnessed By		Jason Alm		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ness City KS, 7 S,
3 W, 1 1/2 S, 1/8 E, S Into




Database File: c:\warrior\data\amwar_petersilie no.3-11\awhd.db
Dataset Pathname: dil/awstk
Presentation Format: dil2in
Dataset Creation: Fri Dec 02 07:53:19 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD	0
------	---























4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500






Database File: c:\warrior\data\amwar_petersilie no.3-11\awhd.db
Dataset Pathname: dil/awstk
Presentation Format: dil
Dataset Creation: Fri Dec 02 07:53:19 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




3600

3650

3700

3750




-32

-32

-32

-32




3800

3850

3900

3950




-31

-31

-31

-31




4000

4050

4100

4150

4200




-31

-31

-31

-31

-31




4250

4300

4350

4400




-31

-31


-32

-31



4450

4500



-31

-31

LSPD