



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-057-20733-00-00

Company S&W Oil & Gas, LLC

Well North Minneola No. 1

Field Wildcat

County Ford State Kansas

Location SE - SE - SW
335' FSL & 2401' FWL

Sec: 13 Twp: 29 S Rge: 25 W

Permanent Datum Ground Level Elevation 2024

Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

Dilling Measured From Kelly Bushing K.B. 2033
D.F. 2024

Date 7/8/2011

Run Number One

Type Log CNL / CDL

Depth Driller 5500

Depth Logger 5465

Bottom Logged Interval 5444

Top Logged Interval 4200

Type Fluid In Hole Chemical

Salinity, PPM CL 7,000

Density 9.1

Level Full

Max. Rec. Temp. F 133

Operating Rig Time 4 1/2 Hours

Equipment -- Location 17 Hays

Recorded By B. Becker

Witnessed By Patrick Dennihan

Borehole Record

Run No Bit From To Size Wgt. To

One 12.25 00 1101 8.625 23# 00 1101

Two 7.875 1101 TD

Casing Record

From To

00 1101

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Dodge City, Ks; South to Wrangler Rd;
3/4 East Into

Database File: s&whd.db
Dataset Pathname: DIL/swstk
Presentation Format: cdl
Dataset Creation: Fri Jul 08 13:57:08 2011
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD

















