



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-101-22,342-00-00

Company Credo Petroleum Corporation

Well Roger No.1-18

Field Hiney

County Lane State Kansas

Location 2310' FSL & 2310' FEL

Other Services
DIL/MEL

Sec: 18 Twp: 19S Rge: 28W

Permanent Datum Ground Level Elevation 2796

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 2801
D.F.
G.L. 2796

Date 1/20/2012

Run Number One

Type Log CNL / CDL

Depth Driller 4740

Depth Logger 4741

Bottom Logged Interval 4720

Top Logged Interval 3600

Type Fluid In Hole Chemical

Salinity, PPM CL 2,500

Density 9.5

Level Full

Max. Rec. Temp. F 123

Operating Rig Time 4 Hours

Equipment -- Location 17 Hays

Recorded By C. Desaire

Witnessed By Bruce Ard

Borehole Record Casing Record

Run No Bit From To Size Wgt. From To

One 12.25 00 217 8.625 23# 00 217

Two 7.875 217 TD

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Dighton KS,
6 S, 1/2 E, N Into

Database File: credohd.db
Dataset Pathname: dil/crdostk
Presentation Format: cdl
Dataset Creation: Fri Jan 20 08:04:46 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD















