



DIGITAL LOG (785) 625-3858

Radiation Guard Log

15-141-20440-00-00

API No.	Company Berexco, LLC		Location 3465' FSL / 2310' FWL	Other Services MEL
	Well John #1	County Osborne		
	Field Wildcat			
Permanent Datum	Ground Level	Elevation	Elevation	
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum	K.B.	1971
Drilling Measured From	Kelly Bushing		D.F.	1960
			G.L.	1960

Date	1/10/2012
Run Number	One
Depth Driller	3700
Depth Logger	3700
Bottom Logged Interval	3699
Top Log Interval	300
Casing Driller	8.625 @ 308
Casing Logger	302
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	7000
Density / Viscosity	9.4   58
pH / Fluid Loss	10.0   9.6
Source of Sample	Flowline
Rm @ Meas. Temp	1.60 @ 70
Rmf @ Meas. Temp	1.20 @ 70
Rmc @ Meas. Temp	2.16 @ 70
Source of Rmf / Rmc	Charts
Rm @ BHT	0.99 @ 113
Operating Rig Time	3 Hours
Max Rec. Temp. F	113
Equipment Number	15
Location	Hays
Recorded By	R. Barnhart
Witnessed By	Bryan Bynog

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.  
 (785) 625-3858  
 Natoma, KS:  
 1/2E to Rd. 657, 3N to Rd. 230,  
 1E, S into


Database File: c:\warrior\data\berexco\_john #1\berexcohd.db  
 Dataset Pathname: rag/berrag  
 Presentation Format: rag2in  
 Dataset Creation: Tue Jan 10 17:48:21 2012  
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150

0.2 lgrd 2000

LSPD





850

900

950

1000

1050

1100


1150

1200

1250

1300

1350



-100

-100

-100

-99

-99

-99



-35


-35

-35

-69

-69





1950

2000

2050

2100

2150

2200


2250

2300

2350

2400

2450



-70

-69

-69

-69

-69

-69


-69

-69

-69

-67

-67



2500

2550

2600

2650

2700

2750


2800

2850

2900

2950

3000



-67

-67

-67

-67

-34

-34


-34

-34

-33

-33

-33



3050

3100

3150

3200

3250

3300


3350

3400

3450

3500

3550



-33

-32

-32

-32

-32

-32


-32

-32

-32

-32


-31




Database File: c:\warrior\data\berexco\_john #1\berexcohd.db  
 Dataset Pathname: rag/berrag  
 Presentation Format: rag  
 Dataset Creation: Tue Jan 10 17:48:21 2012  
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neuton	2160
-200	SP (mV)	0	15000	Line Tension	0

LSPD







1250




-35

LSPD

Database File: c:\warrior\data\berexco\_john #1\berexcohd.db  
 Dataset Pathname: rag/berrag  
 Presentation Format: rag  
 Dataset Creation: Tue Jan 10 17:48:21 2012  
 Charted by: Depth in Feet scaled 1:240




LSPD



2700

2750


2800





-34


-34

-34









0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	SP (mV)	0

0.2	Long Guard	2000
560	Neutron	2160
15000	Line Tension	0

