



Radiation Guard
Log

DIGITAL LOG (785) 625-3858

API No.		Company Bach Oil Production	
15-147-20,658-00-00		Well Tien No. 1	
Field Wildcat		County Phillips State Kansas	
Location S/2 NW NW NW 530' FNL & 330' FWL		Other Services NONE	
Sec: 15 Twp: 2 S Rge: 19 W		Elevation	
Permanent Datum Ground Level		K.B. 2217	
Log Measured From Kelly Bushing		D.F. 2217	
Drilling Measured From Kelly Bushing		G.L. 2212	
Date	1/5/2012		
Run Number	One		
Depth Driller	3640		
Depth Logger	3639		
Bottom Logged Interval	3638		
Top Log Interval	200		
Casing Driller	8.625 @ 224		
Casing Logger	224		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	1.000		
Density / Viscosity	9.2 72		
pH / Fluid Loss	10.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.90 @ 65		
Rmf @ Meas. Temp	.68 @ 65		
Rmc @ Meas. Temp	1.22 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.51 @ 114		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	114		
Equipment Number	91		
Location	Hays		
Recorded By	K. Bange		
Witnessed By	Bob Petersen		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Phillipsburg KS, 10 N to Hunter rd,
6 1/2 W, to 700 rd, 1 1/2 S
E into


0 Gamma Ray 150

0.2


lgrd

2000


LSPD



200
250
300
350
400
450
500
550
600
650
700



-56
-105
-98
-98
-97
-35
-35
-31
-32
-94
-95



750

800

850

900

950

1000


1050

1100

1150

1200

1250



-94

-92

-92

-92

-92

-91


-91

-91

-91

-91

-90



1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-90

-90

-90

-93

-82

-82


-82

-81

-31

-31

-31



1850

1900

1950

2000

2050

2100


2150

2200

2250

2300

2350



-31

-56

-56

-82

-82

-80


-76

-76

-76

-75

-75



2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-75

-75

-74

-74

-74

-74


-74

-72

-72

-72

-71



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-54

-35

-34

-34

-34

-30


-30

-38



-28


-27

-25





Database File: c:\warrior\data\bach_tien no. 1\bach010512hd.db
 Dataset Pathname: rag/bachrag
 Presentation Format: rag
 Dataset Creation: Thu Jan 05 16:04:44 2012
 Charted by: Depth in Feet scaled 1:240





Database File: c:\warrior\data\bach_tien no. 1\bach010512hd.db
Dataset Pathname: rag/bachrag
Presentation Format: rag
Dataset Creation: Thu Jan 05 16:04:44 2012
Charted by: Depth in Feet scaled 1:240



Database File: c:\warrior\data\bach_tien no. 1\bach010512hd.db
Dataset Pathname: rag/bachrag
Presentation Format: rag
Dataset Creation: Thu Jan 05 16:04:44 2012
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16
-200	SP (mV)	0

0.2	Long Guard	2000
560	Neutron	2160
15000	Line Tension	0

LSPD

